

SiteLok Messaging & Profile plugin



Sitelok Messaging & Profile Plugin

Copyright 2012 - 2021 Vibralogix. All rights reserved.

This document is provided by Vibralogix for informational purposes only to licensed users of the Sitelok product and is provided on an 'as is' basis without any warranties expressed or implied.

Information in this document is subject to change without notice and does not represent a commitment on the part of Vibralogix. The software described in this document is provided under a license agreement. The software may be used only in accordance with the terms of that license agreement. It is against the law to copy or use the software except as specifically allowed in the license.

It is the users responsibility to ensure the suitability of this product before using it. In no circumstances will Vibralogix be responsible for any loss or damage of data or programs as a result of using the product. Your use of the product implies acceptance of these terms.

Contents


Chapter 1 Introduction	4
What is the Messaging & Profile plugin?	4
Chapter 2 Installation	5
Backward compatibility	5
Installing for the first time or upgrading	5
Setting up the plugin	6
Disabling the Plugin	9
Uninstalling the plugin	10
Chapter 3 Profile image & nickname	11
Nickname	11
Profile images	11
Chapter 4 Members profile pages	14
How to create a member profile page	14
Displaying the member profile data	14
Calling the members profile page	15
Chapter 5 Combo message box	17
Adding a combo message box to a page	18
Chapter 6 Message boxes	22
Adding a message box to a page	22
Chapter 7 - User lists	26
Adding a user list to a page	26
Chapter 8 - Control panel features	29
Messages	29
Users Message & Profile page	29
Chapter 9 - Other features	31
Displaying number of unread private messages	31
Email notification of private messages	31
Translating the English text	32
Chapter 10 Support	33

Chapter 1 Introduction

What is the Messaging & Profile plugin?

Messaging

The Sitelok Messaging & Profile plugin adds a messaging system to Sitelok providing a way for members to read and write short messages of up to 1000 characters. These messages can be sent so that they are seen by other users in the same usergroup (or all users) or can be sent privately to a specific user. Messages are displayed in realtime on your pages using an ajax based interface. Files can optionally be sent as well.



User nickname & profile image

The plugin also adds user nicknames and profile images which can be used in the messaging system and also on members pages.

User profile pages

User profile pages allow members to see profile data about other users (that you specify) which can be linked from messages or user lists.

User lists

You can display lists of users matching certain criteria along with a link to the users profile page.

Chapter 2 Installation

Backward compatibility

Previous versions of this plugin were known as the Blab Messaging & User Profile Plugin. We decided to rename the plugin to save confusion with a similarly named messaging service.

V2 is a major update with many new features, a more modern interface and easier ways to add messaging to your pages. However we have kept the old functions in place so that existing sites developed using the older plugin should still work with this update. We recommend new sites to use the new functions though.

Installing for the first time or upgrading

- 1) Extract the contents of the zip file to your PC.
- 2) Upload the plugin_blab folder to your existing Sitelok slpw folder using FTP. There are no special permissions required on most servers.
- 3) Upload the example email template [messagereceived.htm](#) to the [slpw/email](#) folder on your server
- 4) Login to the Sitelok control panel.
- 5) Open the following URL in the browser

http://www.yoursite.com/slpw/plugin_blab/install.php

which will start the installation process. If all is well you will be taken to the plugin preferences page where you will see the plugin listed.

Please note that during installation for the first time or upgrading from a version prior to V2.0 a new folder will be created outside of the slpw folder named something like slmsgfiles_xxxxxxxx. This folder is used to store user file uploads for messages. As well as having an obscure name the folder is secured using htaccess and also has an index.php file to stop direct access.

If you have any problems with installation please let us know so that we can help you.

Setting up the plugin

Now that you have installed the plugin you need to set it up. You can access the plugin configuration by selecting **Messaging & Profile** from the **Plugins** menu and clicking the **Settings** button at the bottom.

General settings

Maximum message length

 Maximum length of messages in characters

Show the following non private messages to users

This setting controls what messages the user sees when displaying 'normal' messages

Show these messages to visitors

This setting controls what messages non members see (on public pages)

Use this field as nickname

If usernames are email addresses it is a good idea to use a custom field as a nickname

Profile image field

Resize uploaded profile images to

Notify users of private message (select template)

[messagereceived.htm](#) 

Further emails sent only if chat dormant for at least

 Mins Enter 0 to send email for every message

Notify admin users of private message (select template)

[messagereceived.htm](#) 

Further emails sent only if chat dormant for at least

 Mins Enter 0 to send email for every message

Maximum message length

This is the maximum length in characters a user can enter in a Blab message. The default is 1000 characters.

Show the following messages to users

This setting determines which messages logged in members see when displaying normal (non private) messages. You can either display all Messages (the default) or only those from members of the same usergroup(s). This really depends on your sites requirements. You can override this setting for specific message boxes if needed.

Show these messages to visitors

Its possible to display message on public pages of your site (pages controlled by Sitelok for the PUBLIC usergroup). This setting determines which messages should be seen. These could be messages sent by members of specific usergroups or all messages. By default this is set to ALL. You can also set None which ensures that only logged in users can see messages.

Use this field as nickname

Selects the field to use as the nickname which is displayed with messages. By default this is the username but you should ideally assign a custom field to use as a user nickname. This is important if your site uses email addresses as the username of course. If you define a custom field then you should make sure your user profile update page allows the user to enter this. The plugin will ensure that entered nicknames are unique. It is a good idea to set the title for the custom field you choose to something like [Nickname](#) in the [Tools - Configuration - Custom fields](#) (no validation needed).

Profile image field

Selects the field to use as profile image displayed with messages. You can optionally choose not to use the profile images. If used you should make sure that users can upload their profile image on the registration and / or update profile form as described later. It is a good idea to set the title for the custom field you choose to something like [Profile Image](#) in [Tools - Configuration - Custom fields](#) (no validation needed).

Resize uploaded profile images to

When users upload profile images we resize them to this number of pixels square. By default this is 150px.

Notify users of private message

When users are sent a private message you can also have a notification sent to their email address as well. To enable this select the email template to use. We have included an example called [messagereceived.htm](#). This can be set separately for users and the admin.

Further emails sent only if chat dormant for at least

To stop the notification emails being sent for every message you can set the number of minutes a chat needs to be dormant for before the next email is

Message Deletion

Start deleting normal messages after

0	Days	Enter 0 to never delete
---	------	-------------------------

Start deleting topical messages after

0	Days	Enter 0 to never delete
---	------	-------------------------

Start deleting private messages after

0	Days	Enter 0 to never delete
---	------	-------------------------

User can delete messages sent

User can delete private messages sent

User can delete private messages received

sent. This can be set separately for users and the admin.

Start deleting normal messages after

To keep the database from getting too large you can set the number of days after which normal blabs are deleted. A normal blab is a message that is not private or associated with a specific topic (page comments). The default is 365 days.


Start deleting topical messages after

You can set the number of days after which topical blabs are deleted. A topical blab is a message that was entered about a specific topic (page comment). The default is 365 days.

Start deleting private messages after

You can set the number of days after which private blabs are deleted. The default is 0 which means they are never deleted.

User can delete messages sent

If checked allows user to delete any non private messages they have sent. Any applicable message will have a delete icon  displayed when hovering over the message.

User can delete private messages sent

If checked allows user to delete any private message they gave sent. Any applicable message will have a delete icon **X** displayed when hovering over the message. Note that the recipient will no longer see this message either once deleted.

User can delete private messages received

If checked allows user to delete any private message they gave received. Any applicable message will have a delete icon **X** displayed when hovering over the message. Note that the sender will no longer see this message either once deleted.

Content Control

Ban words or phrases?

List of banned words or phrases

List one word or phrase per line. Not case sensitive.

Replace banned words with

Banning words or phrases

If you wish you can have the plugin automatically replace certain words or phrases in messages. To do this enable the system by clicking the **Ban words or phrases?** checkbox and enter them as a list (one per line). You can enter the string to use as a replacement as well.

Disabling the Plugin

To disable the User files plugin select **Plugin Preferences** in the **Plugin** menu option of Sitelok. Uncheck the enable box for the plugin and click the **Save** button. You can enable it again in the same way.

Uninstalling the plugin

To permanently remove the plugin and its settings follow these steps.

- 1) Disable the plugin as above.
- 2) Click the delete icon next the plugin in the disabled plugins section.
- 3) Confirm the action in the alert box.

If the plugin is uninstalled successfully you will be returned to the plugin preferences page.

Chapter 3 Profile image & nickname

The Messaging and Profile plugin allows users to set a nickname and image profile on their account.

Nickname

Depending on the plugin settings the nickname can be either the members username or a value entered in a custom field. If you use email addresses as usernames then it is best to use a user chosen nickname entered in a custom field for privacy. If you use a custom field then this field should be added to registration registration and / or modify profile forms used on your site. When included on a form the custom field will be automatically required and will also be checked as being unique (no two members can share the same nickname).

You can display a users nickname on any secured page using the variable `$$slnickname` like this

```
<?php echo $$slnickname; ?>
```

The above snippet can be found in the plugins [Snippets](#) page in the [Display profile data](#) tab.

Profile images

If you enable the use of member profile images in the plugin settings we will use a custom field to store it. The user can then upload an image using the registration form or an update profile form.

In Sitelok's form designers you can allow users to upload an image to the custom field by setting the [Input Type](#) as [Upload](#). The plugin will resize and adjust uploaded images to keep them square and the size set in the plugin settings (default is 150px).

– Selected field properties

Sitelok field
Custom2 (custom 2) ▾

Input type
File upload ▾

Label text
Profile Image

Chapter 3 - Profile image & nickname

You can display a users profile image on any secured page using the variable `$$profileimage` like this

```


```

You can adjust the size of the displayed image using the `` width attribute which will scale accordingly. Uploaded images are stored using the size set in the plugin settings (default is 150px). Gravatar and social network images (if you have installed the Social Login plugin) may have other sizes.

The above snippet can be found in the plugins [Snippets](#) page in the [Display profile data](#) tab.

Gravatar and Social Network profile images

Optionally you can allow users to use their Gravatar image instead of their Sitelok one. Also if a user has an account created or logs in via a social network (using the Social Login plugin) and they don't currently have a profile image set then one will be created from the social network account. The user can replace it with a new image if they wish.



Setting or switching the image type between the Sitelok (uploaded or social login) and Gravatar can be done manually from the dashboard by clicking the drop down button next to the user and selecting [Messaging & Profile](#). Click the image required in the [User profile images](#) section or uploaded new image.

In Sitelok V5.6 or above you can allow users to switch or set the image type they want using a drop down, radio buttons or hidden field on registration or update profile forms. To do this add a [Profile image type](#) field and make sure the values used for the input are Uploaded and Gravatar. The example on the right shows a dropdown menu setup to allow this selection.

Sitelok field

Profile image type

Input type

Dropdown menu

Label text

Profile image source

Options

Uploaded
Gravatar

Chapter 3 - Profile image & nickname

As well as the standard snippet for displaying profile images you can also display the Sitelok image (called uploaded and including a Social Login image) or Gravatar image even if not the selected image type using

```

```

```

```

The above snippets can also be found in the plugin's [Snippets](#) page in the [Display profile data](#) tab.

The variable `$slprofileimagetype` indicates the image type chosen by the user if needed set to 'uploaded' or 'gravatar'.

Using profile images in email templates

You can insert the users profile image in email templates using the following email variables

<code>!!!profileimageurl!!!</code>	Inserts the URL to profile image.
<code>!!!profileimage!!!</code>	Inserts the profile image using an <code></code> tag with 100 pixel width.

Also see Chapter 9 for details about inserting a senders profile image for email notifications of private messages.

Chapter 4 Members profile pages

Normally Sitelok can only display information, such as email or custom data fields, on a page for the logged in user. Members profile pages can display any data you choose for the member the page relates to. This is useful to allow members to see information about other members. This is secure so only the information that should be shared is accessible.


How to create a member profile page

A members profile page is basically a normal Sitelok secured page that is called from a special link that contains the user id and a security hash of the user to display data for. For example you can click on a message to be taken to the senders profile page or a user in a user list.

To tell Sitelok that the page is a members profile page you just need to add the setting `$memberprofilepage=1;` to the Sitelok snippet at the top of the page. For example

```
<?php
$groupswithaccess="ALL";
$memberprofilepage=1;
require_once("../slpw/sitelokpw.php");
?>
```

If you use Sitelok V5.6 then the Snippet Generator has an option to add this for you in the **Page setup** tab.



The screenshot shows a form titled "Page setup" with three radio button options:

- Allow visitor access to the page (PUBLIC)
- Allow expired user access to the page
- Members profile page (Messaging & Profile plugin)

Displaying the member profile data

On a members profile page you can use the normal Sitelok variables such as `$slname`, `$slcustom1` or `$slemail` which will continue to display the data related to the logged in user viewing the page. However as long as the page was called via the special link you can also display data about the

member using the same variables with the prefix `$profile_`. So for example `$profile_slname`, `$profile_slcustom1` or `$profile_slemail`. The users profile image is displayed using `$profile_slprofileimage`.

```


```

If the page is not called via the special link then these variables will display the logged in users detail instead.

You can generate snippets for these in the plugin's **Snippets** page in the **Profile page data** tab.

Calling the members profile page

For most sites you will only need to link to a user profile page via the message box or user list so you can ignore the rest of this chapter if you wish. If you need to call the page directly then read on.

For security a members profile page needs to be called using the members user id and a hash. This allows control over whose profile can be seen. In most cases the profile page would be called by a user clicking the  user icon in a message or user list which adds the necessary id and hash to the URL automatically making it look something like this.

```
userprofile.php?uid=1&hash=d714cb0d75f2e174c6f48692fca78dbf
```

For most sites you will only really need to link to a user profile page via the message box or user list but if you need to call the page directly you need to do it as follows.

Call user profile page as current user

To call the user profile page as the current user you can simply link to the page. No security hash is required as we are only displaying the logged in users details themselves.

```
<a href="userprofile.php">Click here</a>
```

Call user profile page for another user

We have a number of functions to generate the query part of the page to call. This can be generated based on the users nickname, username or

Chapter 4 - Members profile pages

userid. So for example to create a link for the profile page of a user with the nickname **robin** you can use

```
<a href="userprofile.php<?php sl_profilefromnickname("robin"); ?>">
Click to see the profile for robin123</a>
```

The call basically adds the correct query part such as



```
?uid=1&hash=d714cb0d75f2e174c6f48692fca78dbf
```

to the link. You can use the functions `sl_profilefromid()` and `sl_profilefromusername()` in a similar way.



Chapter 5 Combo message box

A Combo Message box (message hub) provides the following features in one box.



Normal (non private) messages

This tab shows normal messages either from all users or only from other users belonging to the same usergroups as the user. Buttons to start a chat  or visit the users profile page  will appear when hovering over the message. This tab can be optionally disabled if you only want to provide access to private messages.



User list

A user list of users with buttons to start a private chat  or visit their profile page . The user list can be for all users, users belonging to the same usergroups or based on other filters as needed. An optional search box allows users to search for users. If you have installed the Whois Online plugin you can optionally show if the user is currently online too.


Recent chat users



Shows a list of users recently chatted with along with buttons to start a chat  or visit the users profile page . If you have installed the Whois Online plugin you can optionally show if the user is currently online too.

Private inbox

This tab shows all received private messages along with buttons to start a chat  or visit the users profile page  which appear when hovering over the message. The number of unread messages is displayed within the icon.

Private chat

This tab contains the current chat. Chats can be started by clicking the chat icon  on messages or users listed.



Adding a combo message box to a page

The plugin provides a snippet generator to simplify adding a message box to your page. Open the plugin by going to [Plugins - Messaging & Profile](#) and click the [Snippets](#) button at the bottom. Click the [Combo message box](#) tab to access the snippet generator.

You will now see a list of options. The default settings provide a good starting point but you can adjust any of them as needed. Click the [Show advanced settings](#) link to show more settings.

General Settings

Width of box (px or %)

Enter the width of the message box in px or %.

Maximum width of box (px or leave blank)

If you have used a % width you can also add a maximum width setting as well in px if needed.

Height of box (px or %)

Enter the height of the box in px or %.


Show frame (border)

Check to show a border around the box.

Height of send box (px or %)

Enter the height of the send box in px or %. Only applicable for Non private chat or private chat message types.

URL to user profile page

If you have setup a members profile page (see the earlier chapter) you can set the URL here. If set then a small user icon  will appear when a message is hovered over and for each user in the user list. When clicked it will link to the page adding the senders id and hash to the URL so that the correct users data is shown.

Start tab

Sets which tab is initially open.

Show profile images

Check this box to include user profile images in the messages.

Create links from URL's & email addresses

Check this box if you want URL's and emails detected in the messages to be hyperlinked.

Message settings

Enable non private messages

Check this box to enable the non private messages tab.

Show the following non private messages to users

This option is determines which non private messages are shown. This can be the **Default** (set in the plugin settings), **All** to show all messages or **Usergroup** to show only messages sent by users in the same usergroup(s).

To only show messages about a certain topic enter it here

For non private messages you can set a topic. This causes the message box to show only messages about this specific topic. Messages are also sent using this topic as well. Topics are useful if you want to use a message box for comments about a particular page or article for example. It keeps the messages separate from the main message stream. Leave the field blank if not required.

Allow file upload for non private messages

If checked allows the user to send files as non private messages.

Allow file upload for private messages

If checked allows the user to send files as private messages.

Show uploaded image preview in messages

If checked then any uploaded images will show a preview within the message as well as a download link.

Date format for messages today

This is the text that appears for messages sent today. The variables below can be used in the text. For example **!A! ago**

- !A!** displays the age of the message
- !D!** displays the day of the month with 2 digits
- !M!** displays the month with 2 digits
- !Y!** displays the year with 4 digits

Date format for earlier messages

This is the text that appears for messages sent earlier than today. For example **!D!/!M!/!Y! !H!:!!!**. See previous setting for details about the variables.

File upload settings

If you have enabled file uploads for non private and / or private messages you can set the file extensions that are allowed and the maximum file size

Allowed file extensions

List the file extensions allowed separated by a space (or comma). To allow any file type (risky) then enter just a *.

Max upload size

The maximum file size in bytes.

User list settings

Display these fields for each user

This field allows you to set which fields are displayed for users in the user list. Type the field name (username, custom1 etc) & press enter or select from the drop down list.

Show if user is online

If you have installed the Whois Online plugin and check this box a small green circle will flag users who are online in the user list.

Sort users by

Select the field on which the user list is sorted.

Sort direction

Select the sort direction.

Show only users from these usergroups

This field allows you to limit users listed to members of specific usergroups. Type the usergroup name & press enter or select from the drop down list. You can enter / select **same groups as user** to only show users who belong to the same usergroup(s) as the user. Leave the field blank to show all users.

Only show users matching this filter

You can further limit which users are included in the user list by entering a filter query. For example entering

```
custom1='US' OR custom1='CA'
```

would ensure only users with custom1 set to US or CA will be listed in addition to the usergroup filter. The filter uses SQL syntax. Leave blank for no filter.

Allow user search

Check this box to allow users to search users. A search box is displayed at the top of the list when enabled.

Search allowed in these fields

If you enable user search then you need to also tell the plugin which fields are searchable. Type the field name (username, custom1 etc) & press enter or select from the drop down list. You can allow search in fields even if they are not actually displayed. This could be useful to allow users to search for users by email without actually revealing email addresses.

Creating the snippet


Once you have setup the combo message box options you can copy and paste the code displayed onto your page. Here is an example of how that looks.


Copy and paste the code below

```
<?php if (function_exists('sl_combichatbox')) { sl_combichatbox(array(
    'width'=>'100%',
    'maxwidth'=>'600px',
    'height'=>'500px',
    'sendheight'=>'110px',
    'showimage'=>true,
    'messageLinks'=>true,
    'userlistlinks'=>true,
    'publicenabled'=>true,
    'allmstype'=>'',
    'about'=>'',
    'datetoday'=>'!A! ago',
    'dateearlier'=>'!D!/!M!/!Y! !H!:!I!',
    'userpage'=>'',
    'displayfields'=>'nickname',
    'showonline'=>true,
    'usersortby'=>'nickname',
    'usersortdir'=>'ASC',
    'userlistgroups'=>'',
    'userlistfilter'=>'',
    'searchfields'=>'nickname',
    'maxlength'=>'1000',
    'number'=>50,
    'usernumber'=>50,
    'refresh'=>30,
    'userlisthtml'=>'',
    'recentuserhtml'=>''
)); } ?>
```

Once generated you can modify the settings directly in the code if you wish.

Chapter 6 Message boxes

As well as the Combo Message Box (message hub) described earlier you can also create message boxes to display specific types of messages such as normal (non private) messages, private messages, comment / topic related messages, sent messages etc. For chat type boxes a send message area is automatically included. If you enable file uploads then the user can drag and drop files on the send message area or use the file upload icon  to choose a file. You can have multiple message boxes on the same page if required.



Adding a message box to a page

The plugin provides a snippet generator to simplify adding a message box to your page. Open the plugin by going to [Plugins - Messaging & Profile](#) and click the [Snippets](#) button at the bottom. Click the [Message box](#) tab to access the snippet generator.

You will now see a list of options which you can adjust as needed.

Width of box (px or %)

Enter the width of the message box in px or %.

Maximum width of box (px or leave blank)

If you have used a % width you can also add a maximum width setting as well in px if needed.

Height of box (px or %)

Enter the height of the box in px or %.

Show frame (border)

Check to show a border around the box.

Message box type

This sets the type of messages displayed.

Non private chat These are normal messages sent by users for other users to read. A send box is also displayed allowing users to send messages too.

Private chat These are private messages between the logged in user and another user.. A send box is also displayed for this message type.

Non private messages These are normal messages sent by users for other users to read.

Received private messages These are private messages sent from other users to the logged in user (like an inbox).

Non private messages sent These are messages sent by the logged in user.

Private messages sent These are private messages sent by the logged in user to any other users privately (like a sent box).

Private messages sent & received These are private messages sent by and received by the logged in user.

Height of send box (px or %)

Enter the height of the send box in px or %. Only applicable for Non private chat or private chat message types.

Show the following non private messages to users

This option is determines which non private messages are shown. This can be the **Default** (set in the plugin settings), **All** to show all messages or **Usergroup** to show only messages sent by users in the same usergroup(s).

Show chat / messages (*field title varies with other options*)

For private messages you need to define which other user the messages relate to. If you place the message box on a user profile page (see earlier chapter) then set this to **profile page owner**. If you want to use the box on a normal members page then you should enter the numeric user id of the user in the **Numeric user id** field. This could be useful for example if you want to have a chat box that directly cats with the administrator of the site.

To only show messages about a certain topic enter it here

For non private messages you can set a topic. This causes the message box to show only messages about this specific topic. For a chat box messages are also sent using this topic as well. Topics are useful if you want to use a message box for comments about a particular page or article for example. It keeps the messages separate from the main message stream. Leave the field blank if not required.


Show profile images

Check this box to include user profile images in the messages.

Create links from URL's & email addresses

Check this box if you want URL's and emails detected in the messages to be hyperlinked.

URL to user profile page

If you have setup a members profile page (see the earlier chapter) you can set the URL here. If set then a small user icon  will appear when a message is hovered over. When clicked it will link to the page adding the senders id and hash to the URL so that the correct users data is shown.

Show uploaded image preview in messages

If checked then any uploaded images will show a preview within the message as well as a download link.

Date format for messages today

This is the text that appears for messages sent today. The variables below can be used in the text. For example **!A!** ago

- !A!** displays the age of the message
- !D!** displays the day of the month with 2 digits
- !M!** displays the month with 2 digits
- !Y!** displays the year with 4 digits

Date format for earlier messages

This is the text that appears for messages sent earlier than today. The variables below can be used in the text. For example **!D!/!M!/!Y! !H!:!!**

- !A!** displays the age of the message
- !D!** displays the day of the month with 2 digits
- !M!** displays the month with 2 digits
- !Y!** displays the year with 4 digits

Allow file upload

If checked the user can upload files.

Allowed file extensions

List the file extensions allowed separated by a space (or comma). To allow any file type (risky) then enter just a *.

Max upload size

The maximum file size in bytes.

Creating the snippet

Once you have setup the message box option you can copy and paste the code displayed onto your page. Here is an example of how that looks.

Copy and paste the code below


```
<?php if (function_exists('sl_messagebox')) { sl_messagebox(array(
'messagetype'=>'normal',
'width'=>'100%',
'maxwidth'=>'500px',
'height'=>'500px',
'sendenabled'=>false,
'sendheight'=>'0px',
'placeholder'=>MSG_BLAB_TYPEMSG,
'profileid'=>'',
'showframe'=>true,
'showimage'=>true,
'messagelinks'=>true,
'userlistlinks'=>true,
'about'=>'',
'datetoday'=>'!A! ago',
'dateearlier'=>'!D!/!M!/!Y! !H!:!I!',
'userpage'=>'',
'maxlength'=>'1000',
'number'=>50,
'usernumber'=>50,
'refresh'=>30,
)); } ?>
```

Select code

Once generated you can modify the settings directly in the code if you wish.

Chapter 7 - User lists

You can display a list of users on a members page which can also link to the users profile page if required. You can set which specific usergroups to include users from or include only those in the same usergroup(s) as the user. Further filtering can also be applied. An optional search box allows users to search users too.



Adding a user list to a page

The plugin provides a snippet generator to simplify adding a user list to your page. Open the plugin by going to [Plugins - Messaging & Profile](#) and click the [Snippets](#) button at the bottom. Click the [User list](#) tab to access the snippet generator.

You will now see a list of options which you can adjust as needed.

Width of box (px or %)

Enter the width of the message box in px or %.

Maximum width of box (px or leave blank)

If you have used a % width you can also add a maximum width setting as well in px if needed.

Height of box (px or %)

Enter the height of the box in px or %.

Show frame (border)

Check to show a border around the box.


Show profile images

Check this box to include user profile images.

Create links from URL's & email addresses

Check this box if you want URL's and emails detected in the displayed data to be hyperlinked.

URL to user profile page

If you have setup a members profile page (see the earlier chapter) you can set the URL here. If set then a small user icon  will appear for each user in the user list. When clicked it will link to the page adding the senders id and hash to the URL so that the correct users data is shown.

Display these fields for each user

This field allows you to set which fields are displayed for users in the user list. Type the field name (username, custom1 etc) & press enter or select from the drop down list.

Show if user is online

If you have installed the Whois Online plugin and check this box a small green circle will flag users who are online in the user list.

Sort users by

Select the field on which the user list is sorted.

Sort direction

Select the sort direction.

Show only users from these usergroups

This field allows you to limit users listed to members of specific usergroups. Type the usergroup name & press enter or select from the drop down list. You can enter / select **same groups as user** to only show users who belong to the same usergroup(s) as the user. Leave the field blank to show all users.

Only show users matching this filter

You can further limit which users are included in the user list by entering a filter query. For example entering

```
custom1='US' OR custom1='CA'
```

would ensure only users with custom1 set to US or CA will be listed in addition to the usergroup filter. The filter uses SQL syntax. Leave blank for no filter.

Allow user search

Check this box to allow users to search users. A search box is displayed at the top of the list when enabled.

Search allowed in these fields

If you enable user search then you need to also tell the plugin which fields are searchable. Type the field name (username, custom1 etc) & press enter or select from the drop down list. You can allow search in fields even if they are not actually displayed. This could be useful to allow users to search for users by email without actually revealing email addresses.

Creating the snippet

Once you have setup the user list options you can copy and paste the code displayed onto your page. Here is an example of how that looks.

Copy and paste the code below


```
<?php if (function_exists('sl_userlist')) { sl_userlist(array(
    'width'=>'100%',
    'maxwidth'=>'600px',
    'height'=>'500px',
    'showframe'=>true,
    'showimage'=>true,
    'messagelinks'=>true,
    'userlistlinks'=>true,
    'userpage'=>'',
    'displayfields'=>'nickname',
    'showonline'=>true,
    'usersortby'=>'nickname',
    'usersortdir'=>'ASC',
    'userlistgroups'=>'',
    'userlistfilter'=>'',
    'searchfields'=>'nickname',
    'usernumber'=>50,
    'userlisthtml'=>'',
    'recentuserhtml'=>''
)); } ?>
```

Select code

Once generated you can modify the settings directly in the code if you wish.


Chapter 8 - Control panel features


Messages




You can access your message hub (combo message box) by clicking the chat icon at the top of the dashboard. This also shows how many unread private messages you have.

From the message hub you can see and respond to private and non private messages. Unlike users you will also see non private topical messages (with any topic) as well enabling you to check and delete any that may not be suitable.


If you click the  icon the message box will open in a new browser window.

Clicking the  user icon in messages or the user list will take you to the users Messaging & Profile page where you can see all non private messages sent by that user and also set or update their profile image.

Messages are also accessible on the main plugin page by going to [Plugins - Messaging & Profile](#). This page also provides access to the plugin settings and snippets.



Users Message & Profile page



You can access a users non private messages sent and also chat with them by clicking the drop down arrow next to the user in the dashboard main table and selecting [Messages & Profile](#).

From this page you can also manually upload a user profile image or select their Gravatar profile image.

Chapter 8 - Control panel features

User profile images


Click the image to change the image source used (current image is shown in bold). Click or to view the images as squares or circles. **Note:** Because of caching it may take up to an hour for changes to be seen in messages.



Uploaded  Gravatar



Upload user profile image



Uploaded images are automatically adjusted to be square and the size set in the plugin settings (default is 150px). Click the circle icon to see how the image looks when displayed in the message boxes or user lists.

Note that it can take up to an hour for changes to profile images to appear in messages and user lists because of caching.

Chapter 9 - Other features

Displaying number of unread private messages

On a members page you can display the number of unread private messages the user has using the following snippet

```
<?php sl_showprivatemessagecount(); ?>
```

This will start an ajax handler so that the number is updated as needed.

The above snippet is available in the plugin's snippet page as well.

Email notification of private messages

If you have enabled **Notify user of private message** or **Notify admin users of private message** in the plugin settings then an email will be sent using the specified email template to the recipient to let them know they have received a private message. Inside the email template you can use the following template variables.

!!!messagefrom!!!	Inserts the nickname of the sender
!!!messagetext!!!	Inserts the actual message
!!!fromprofileimageurl!!!	Inserts the URL to the senders profile image
!!!fromprofileimage!!!	Inserts the senders profile image using an tag with 100 pixel width.
!!!profileimageurl!!!	Inserts the URL to the recipients
!!!profileimage!!!	Inserts the recipients profile image using an tag with 100 pixel width.
!!!profilequery!!!	This will add the user id and hash to a URL so that you can link to the sender profile page. For example

```
https://yoursite.com/userprofile.php!!!profilequery!!!
```

The email variables are available from the **Insert Variables** drop down above the email editor.

Translating the English text

All of the English text that users see can be translated as needed. To do this you should first of all copy the following lines to the `slconfig.php` file.

```
define("MSG_BLAB_ENTERNICK", "Please enter a nickname");
define("MSG_BLAB_NICKUSED", "The nickname has been used already");
define("MSG_BLAB_NOUSERS", "No matching users found");
define("MSG_BLAB_PUBLICMSG", "Public messages");
define("MSG_BLAB_USERS", "Users");
define("MSG_BLAB_INBOX", "Private inbox");
define("MSG_BLAB_PVTCHAT", "Private chat");
define("MSG_BLAB_RCTUSERS", "Recent chat users");
define("MSG_BLAB_SRCHUSERS", "User list");
define("MSG_BLAB_ONLINE", "Online");
define("MSG_BLAB_NOCHAT", "No private chat started");
define("MSG_BLAB_NORCTUSERS", "No recent users");
define("MSG_BLAB_TYPEMSG", "Type your message here");
define("MSG_BLAB_TYPEMSGPVT", "Type a private message for ");
define("MSG_BLAB_USERPROF", "User profile");
define("MSG_BLAB_NORCTUSERS", "No recent users");
define("MSG_BLAB_NOMESSAGES", "No messages");
define("MSG_BLAB_CMBNOPUBMESSAGES", "No messages");
define("MSG_BLAB_CMBNOPVTMESSAGES", "You have no private messages");
define("MSG_BLAB_ONEFILE", "Upload 1 file at a time");
define("MSG_BLAB_TYPEALLOWED", "This type of file is not allowed");
define("MSG_BLAB_TYPEALLOWED", "File is too large");
```

You can translate the text part as needed (shown in bold here)

```
define("MSG_BLAB_ENTERNICK", "Please enter a nickname");
```


Chapter 10 Support

Hopefully if you have followed this manual carefully everything will be working fine. However sometimes things don't go quite so smoothly so if you have any questions or problems then please check the FAQ on the support page or email us.

Support area: <http://www.vibralogix.com/support/>

Email: support@vibralogix.com