

Sitelok™

Paypal Plugin



V2.2

Sitelok Paypal Plugin Manual

Copyright 2008-2018 Vibralogix. All rights reserved.

This document is provided by Vibralogix for informational purposes only to licensed users of the Sitelok product and is provided on an 'as is' basis without any warranties expressed or implied.

Information in this document is subject to change without notice and does not represent a commitment on the part of Vibralogix. The software described in this document is provided under a license agreement. The software may be used only in accordance with the terms of that license agreement. It is against the law to copy or use the software except as specifically allowed in the license.

It is the users responsibility to ensure the suitability of Sitelok Paypal Plugin before using it. In no circumstances will Vibralogix be responsible for any loss or damage of data or programs as a result of using Sitelok. Your use of Sitelok implies acceptance of these terms.

Contents

Chapter 1 Introduction	4
What is the Sitelok Paypal Plugin?	4
An overview of how the Sitelok Paypal Plugin works	4
Chapter 2 Installation	6
Installing the Sitelok Paypal Plugin	6
Installing for the first time or upgrading.....	6
Initial configuration.....	6
Chapter 3 Creating Products	12
Single payment membership products.....	12
Setting up Subscription (recurring payments) products	16
Other single payment products	21
Chapter 4 Creating buttons	22
Button code type.....	22
Button type	23
Choose the currency	23
Update logged in user account	23
Request postal address	23
Select button image	23
Create the code	24
Chapter 5 The return page.....	25
Chapter 6 Register via Paypal	27
Using the registration form designer	27
Using your own registration form code.....	28
Chapter 7 Advanced features.....	29
Keeping an existing username	29
Using the Paypal Sandbox.....	29
Canceling subscriptions	29
Debugging	30
IPN Passthru.....	30
Setting custom field values	30
Chapter 8 Support	31

Chapter 1 Introduction

What is the Sitelok Paypal Plugin?

The Sitelok Paypal Plugin allows you to sell membership access to your Sitelok protected areas. Both one off (buy now or add to cart) and recurring payments (subscriptions) are supported. You can setup Sitelok to handle existing buttons or you can have Sitelok generate the button code for you. For some applications you may find our Linklok Paypal product, which also integrates with Sitelok, an alternative solution.

New accounts created will use the members Paypal email address or a unique username based on their name together with a random password. The user can change these from their profile page if you allow this. Existing members updating an account can use their existing username and password.

An overview of how the Sitelok Paypal Plugin works

Buy Now and add to cart button buttons

Paypal's buy now buttons are used to take a one off payment from a client for membership. This allows you to sell membership for a fixed period or an unlimited time. When payment is made Sitelok will send a specified email to the buyer that can contain the Sitelok login details. The login details can also be displayed on the thank you page. Existing members will keep their original login details. If Paypal reverses the payment for some reason (usually fraud) then the membership will be automatically blocked.

Subscription buttons

Paypal's subscription buttons are used to take a recurring payment from a client for membership. This allows you to sell membership with a monthly, yearly, weekly or even daily subscription. When payment is made Sitelok will send a specified email to the buyer that can contain the Sitelok login details. The login details can also be displayed on the thank you page. Existing members will keep their original login details. If the subscription is cancelled or comes to the end of term then Sitelok will expire the membership of the related usergroups and send the appropriate email. Note that when a user cancels a subscription they will have access until the end

of the paid period as determined by Paypal (i.e. they won't necessarily get blocked immediately).

Paypal allows two optional trial periods in addition to the regular payment period. Sitelok supports this too. We recommend that you read Paypal's documentation to find out more.

Non membership buttons

Sitelok also supports Paypal buy now or add to cart buttons that don't create a membership. These can be useful where you just want to take a payment for something else but still want Sitelok to send out an email or for use with plugins. For example you can use a button to sell credits for use with the Credits plugin.

Chapter 2 Installation

Installing the Sitelok Paypal Plugin

Before installing the Sitelok Paypal Plugin make sure that you have installed Sitelok and that it is working correctly. Ideally you should use the latest version but at the very least V3.0 should be installed.

If you are using an older version of Sitelok prior to V5 the screenshots in this manual will differ.

Installing for the first time or upgrading

- 1) Extract the contents of the zip file to your PC.
- 2) Upload the [pay_paypal](#) folder to your existing Sitelok slpw folder using FTP. There are no special permissions required on most servers. If you have a previous version then overwrite the files.
- 3) Login to the Sitelok control panel.
- 4) Open the following URL in the browser

http://www.yoursite.com/slpw/pay_paypal/install.php

which will start the installation process. If all is well you will be taken to the plugin preferences page where you will see the plugin listed.

If you have any problems with installation please let us know so that we can help you.

Important

This version of the Paypal plugin complies with Paypal's security changes required after June 2017. To test that your hosting company has updated your server to support Paypal's TLS 1.2 requirement after installation visit

http://www.yoursite.com/slpw/pay_paypal/tlstest.php

If the test fails it will explain how to enable the existing system while you wait for your hosting company to update the server.


Initial configuration

If you just upgraded you can ignore this section which is only required the first time you install the Paypal Plugin.

Before using the Sitelok Paypal Plugin for the first time we need to setup your Paypal account and also set some details about the account.

Setup you Paypal account

Sitelok makes use of Paypal's IPN feature to automatically control account creation, updating and blocking and the sending of account details by email. Optionally we can use Auto Return and PDT to display the Sitelok login details on a thank you page after payment as well.

- 1) Login to your Paypal account.
- 2) Click the  button in the top right of the home page and select **Profile and settings**. If you are using the older classic admin for Paypal then just Click the **Profile** link instead.
- 3) Click **My selling preferences** in the left hand column under My Profile. Scroll down to the **Getting paid and managing risk** section (you may have to expand it) and click **Update** next to **Instant payment notifications**. Enable IPN and set the **Notification URL** to (using your domain name of course)

http://www.yoursite.com/slpw/pay_paypal/slpaypal.php

If you have already enabled IPN for another application (such as Linklok Paypal) you can leave that original setting as is. As long as IPN is enabled it is ok as we will pass the required IPN handler URL in the Paypal button.

- 4) If you wish to display the Sitelok login details on a thank you page after payment (as well as the email that will be sent anyway) you need to also follow steps 4 to 6 below.
- 5) Return to the **Profile** page and click the **My selling preferences** link in the left column under My Profile. Scroll down to the **Selling online** section (you may have to expand it) and click **Update** next to **Website preferences**.

Enable **Auto Return** and set the URL to be (setting your site)

<http://www.yoursite.com>

If you have already enabled Auto Return for another application (such as


Chapter 2 - Installation

Linklok Paypal) you can leave that original setting as is. As long as Auto Return is enabled it is ok as we will pass the required return page URL in the Paypal button.

- 6) Scroll down the same page to find the **Payment Data Transfer** settings. Set this to **On** and scroll down to click the **Save** button.
- 7) Paypal should now display the PDT Identity token value that is unique to your account. Copy this token to the clipboard or save it somewhere for later use.
- 8) Return to the Profile page and click **My Selling tools**, scroll to the bottom and click **PayPal** button language encoding.
- 9) Click the **More Options** button and select **UTF-8** as the character encoding with the same setting for date sent from Paypal as well.

Configuring the Sitelok Paypal Plugin

Login to the Sitelok control panel and select **Paypal** in the **Plugins** menu.



Click **Paypal Configuration** to display the main settings for the Sitelok Paypal Plugin.

Paypal settings

Enabled
Enabled

Paypal Primary email address
paypal@yoursite.com make sure this is the **primary** email

Button email or merchant ID
if set this will be used in the button instead of the primary email

PDT token
pdt token

Default return URL

Default cancel URL

IPN Pass Thru URL

Send debug email to
leave blank for normal use

Paypal account type
Normal select sandbox only if you know what you are doing!

Enter the following settings and then click save to store the configuration. The other settings will be described later in the manual.

Paypal Primary Email address

Enter you Paypal account primary Paypal email address. This must be the main **primary** email address used on your account. You can use any other registered email address in your buy buttons but this setting must be the primary address.

Button email or merchant ID

When we generate the code for a button we will by default use the primary email address as the business field. If you prefer to use an alternative email address (from the same Paypal account) or the Paypal account merchant ID instead then enter it in this field.

PDT token

If you enabled auto return and PDT so you can display Sitelok details on a thank you page then enter the PDT Identity Token exactly as provided by Paypal.

Default Return URL

You can enter a default URL (including the http:// part) that you wish to return the user to after payment. You can leave this blank and set it for individual products if you prefer. Later we will show you how you can add the Sitelok Login details to the return page if you wish.

Default Cancel URL

You can enter a default URL (including the http:// part) that you wish to return the user to if they click the cancel button during Paypal checkout and don't complete the payment. You can leave this blank and set it for individual products if you prefer.

IPN Pass thru

You can leave this setting blank. Its only needed if you require a second IPN handler to be called at the same times as this plugin.

Debug Email

You can leave this setting blank. If you are having problems you can enter your email address to receive error reports.

User account

You can decide whether to use the buyers Paypal email address as a username or one based on their name. You can also decide if the plugin should attempt to match an existing account based on the email address before creating a new account.

New username type

Use email address as username

Match account using email

Yes

New username type

This sets the username type the plugin will use when creating a new Sitelok account. This can be either the buyers Paypal email address or a unique username based on the buyers name (plus number to make it unique).

We store the Paypal account id (payer_id) with the Sitelok account so that any further transactions from the same Paypal account will be applied to the same Sitelok account. An exception to this would be when a username is forced in the Paypal button (see later).

Match account using email

If enabled the plugin will check first if a Sitelok account exists with the buyers Paypal email set in the username or email field before creating a new account. This is useful if an account exists that was created direct through registration or manually and is not linked to the Paypal account. If you enable this option it is probably wise to also enable the following two options in Sitelok which are available from V3.1.

Email change verification
Email field must be unique

Replace existing password with

By default the emails sent out when an account is created or updated can display the users password. For increased security can have the password replaced by some other text when an existing account is updated. If you have enabled hashed passwords in Sitelok then this is required as Sitelok doesn't know an existing users password anyway. Enter the text you want to replace existing passwords with. For example you could set

or

your existing password


Leave blank to display existing passwords.

Chapter 3 Creating Products

Once you have configured the Sitelok Paypal Plugin to work with your Paypal account it is actively listening for Paypal transactions. When products are purchased that have an item_number matching that set in the product definition in Sitelok it is actioned.

Single payment membership products

Select **Paypal** from the **Plugins** menu and then click the **Add Product** button.



The screenshot shows a web interface for configuring a 'Paypal Product'. At the top left is a blue 'P' logo followed by the text 'Paypal Product'. At the top right, there is a breadcrumb trail: 'Dashboard > Paypal Product'. Below this is a section titled 'Product Details' containing four form fields: 1. 'Product ID' with a text input box and a note 'To match the button item_number'. 2. 'Product name' with a text input box. 3. 'Product type' with a dropdown menu currently showing 'Single payment membership'. 4. 'Enabled' with a dropdown menu currently showing 'Enabled'.

Product ID

Enter a short product id that is unique for this product. If you have already created a buy now button make sure this matches the item_number you used (Item ID for hosted buttons).

Product name

Enter a description of the product for future reference.

Product Type

You can select the type of product, either **Single payment membership**, **Subscription membership** or **Other single payment**. Leave this as **Single payment membership**.

Product enabled

Make sure to select enabled.

Product Pricing

If you select multi currency you can set prices in up to 4 currencies. Leave blank those you don't need. For subscription products you can set a regular price and also one or two trial period prices. Leave the trial prices blank if you don't need them.

Multiple currencies

No ▾

Regular price

9.95 USD ▾

Multiple Currencies

In most cases you will probably charge for membership in one currency so you can leave this set to No. However if you wish to create different buttons for different currencies then set Yes.

Regular price

Enter the price you will charge for this membership product and select the currency code. If you have already created your buy button make sure that this amount and currency code matches those set in the button.

If you enabled multiple currencies then you can enter up to 4 different prices and currency codes.

Emails and return page

Client joining email

Admin joining email


Client cancel email

Admin cancel email

Return URL

Cancel URL

Emails

Here can can select the email templates to be sent to the buyer and the Sitelok admin upon joining or canceling (reversed payment). Check the checkbox to enable the email and then click the  folder icon to open the file manager. You can select the template you want to use.

The email template to send must exist already in the slpw/email folder. You can use Sitelok's built html editor to create templates.

Return URL

You can enter a full URL (including the http:// part) that you wish to return the user to after payment. Later we will show you how you can add the Sitelok Login details to the return page if you wish. If you leave this blank then any default URL you set in the configuration settings will be used. If that is also blank then the URL set in your Paypal will be used.






Cancel URL

You can enter a full URL (including the http:// part) that you wish to return the user to if they click the cancel button during Paypal checkout and don't complete the payment. If you leave this blank then any default URL you set in the configuration settings will be used.

Chapter 3 - Creating Products

Usergroups

Choose the usergroup(s) you wish the user to join upon payment for this product and enter the number of days membership. For subscriptions we suggest entering 0 days as membership will be expired automatically when required. If you want to remove a user from a usergroup when this product is purchased you can set -1 days.

usergroup	days or DDMMYY	
usergroup	days or DDMMYY	
usergroup	days or DDMMYY	
usergroup	days or DDMMYY	
usergroup	days or DDMMYY	

Usergroups

Here you can enter up to five usergroups that the user will join upon purchase. You must also enter the number of days that membership is valid for (set to 0 for unlimited).


Note that if a user is already a member of a group when they purchase membership that Sitelok will extend their membership by the number of days set here. This enables a user to re-subscribe to you site without waiting to expire.

There maybe times when you wish to remove a user from a certain usergroup when another is purchased. To do this just list the usergroup to remove the user from with the expiry set to -1.

Click the **Save** button to store the product details.

Setting up Subscription (recurring payments) products

Select **Paypal** from the **Plugins** menu and then click the **Add Product** button.



The screenshot shows a web interface for configuring a 'Paypal Product'. At the top left is a 'P' logo and the text 'Paypal Product'. At the top right is a breadcrumb trail: 'Dashboard > Paypal Product'. Below this is a 'Product Details' section with the following fields:

- Product ID**: A text input field with a note to its right: 'To match the button item_number'.
- Product name**: A text input field.
- Product type**: A dropdown menu with 'Subscription membership' selected.
- Enabled**: A dropdown menu with 'Enabled' selected.

Product ID

Enter a short product id that is unique for this product. If you have already created a buy now button make sure this matches item_number you used (Item ID for hosted buttons).

Product name

Enter a description of the product for future reference.

Product Type

You can select the type of product, either **Single payment membership**, **Subscription membership** or **Other single payment**. Leave this as **Single payment membership**.

Product enabled

Make sure to select Enabled.

Chapter 3 - Creating Products

Product Pricing

If you select multi currency you can set prices in up to 4 currencies. Leave blank those you don't need. For subscription products you can set a regular price and also one or two trial period prices. Leave the trial prices blank if you don't need them.

Multiple currencies

▾

Regular price

▾

Regular period

▾

Number of regular payments

leave blank for continuous payments until cancelled

Trial 1 price

Trial 1 period

▾

Trial 2 price

Trial 2 period

▾

Multiple Currencies

In most cases you will probably charge for membership in one currency so you can leave this checkbox unchecked. However if you wish to create different buttons for different currencies check this box.

Regular price

Enter the recurring amount you will charge for this membership product and select the currency code. If you have already created your buy button make sure that this amount and currency code matches those set in the button (the amount set in the a3 field).

If you enabled multiple currencies then you can enter up to 4 different amounts and currency codes.

Regular period

Enter the period that payments should be made. For example you could set 1 month to collect one payment monthly.

Number of regular payments

For most subscriptions you will wish the payment to continue until the client decides to cancel the subscription from their Paypal account. In this case leave this setting blank. However if you want to have a fixed number of payments then set the number here.

Trial 1 price

This is optional and for most subscriptions you can leave it blank. If you wish to offer a separate trial period before the regular period begins set the price here. If you have already created your buy button make sure that this amount matches those set in the button (the amount set in the a1 field).

If you enabled multiple currencies then you can enter up to 4 different amounts in the currencies you selected for the regular prices.

For further details about the trial period please check Paypal's documentation.

Trial 1 period

This is optional and for most subscriptions you can leave it blank. If you wish to offer a separate trial period before the regular period begins enter the length of the first trial period.

Trial 2 price

This is optional and for most subscriptions you can leave it blank. If you wish to offer a second separate trial period before the regular period begins set the price here. If you have already created your buy button make sure that this amount matches those set in the button (the amount set in the a2 field).

Chapter 3 - Creating Products

If you enabled multiple currencies then you can enter up to 4 different amounts in the currencies you selected for the regular prices.

Trial 2 period

This is optional and for most subscriptions you can leave it blank. If you wish to offer a second separate trial period before the regular period begins enter the length of the second trial period.

Emails and return page

Client joining email

Admin joining email

Client cancel email

Admin cancel email


Client end of term email

Admin end of term email

Return URL

Cancel URL

Emails

Here can can select the email templates to be sent to the buyer and the Sitelok admin upon joining or canceling (the client cancels the subscription) or End of Term (when the subscription reaches an end). Check the checkbox to enable the email and then click the  folder icon to open the file manager. You can select the template you want to use.

The email template to send must exist already in the slpw/email folder. You can use Sitelok's built html editor to create templates.

Return URL

You can enter a full URL (including the http:// part) that you wish to return the user to after payment. Later we will show you how you can add the Sitelok Login details to the return page if you wish. If you leave this blank then any default URL you set in the configuration settings will be used. If that is also blank then the URL set in your Paypal will be used.

Cancel URL

You can enter a full URL (including the http:// part) that you wish to return the user to if they click the cancel button during Paypal checkout and don't complete the payment. If you leave this blank then any default URL you set in the configuration settings will be used.

Usergroups

Choose the usergroup(s) you wish the user to join upon payment for this product and enter the number of days membership. For subscriptions we suggest entering 0 days as membership will be expired automatically when required. If you want to remove a user from a usergroup when this product is purchased you can set -1 days.

<input type="text" value="usergroup"/>	<input type="text" value="days or DDMMYY"/>	
<input type="text" value="usergroup"/>	<input type="text" value="days or DDMMYY"/>	
<input type="text" value="usergroup"/>	<input type="text" value="days or DDMMYY"/>	
<input type="text" value="usergroup"/>	<input type="text" value="days or DDMMYY"/>	
<input type="text" value="usergroup"/>	<input type="text" value="days or DDMMYY"/>	

Usergroups

Here you can enter up to five usergroups that the user will join upon purchase. For subscription payments you will normally enter 0 for the expiry time. This allows unlimited access until the subscription is cancelled. You can however enter a fixed number of days if you wish.


There maybe times when you wish to remove a user from a certain usergroup when another is purchased. To do this just list the usergroup to remove the user from with the expiry set to -1.

Click the [Save](#) button to store the product details.

Other single payment products

Sitelok also supports Paypal buy now or add to cart buttons that don't create a membership. These can be useful where you just want to take a payment for something else but still want Sitelok to send out an email or for use with plugins. For example you can use a button to sell credits for use with the Credits plugin. Setting up such a product and button is the same as described for [Single payment membership products](#) except that you should select '[Other single payment](#)' as the [Product Type](#) and you can't set any usergroups.

Chapter 4 Creating buttons

When you have added some products to the Paypal Plugin you can easily create the html code required for the button by clicking the  code icon next to the product in the product list.

P Paypal button code Dashboard > Paypal button code

Choose the button options

Generate button form for use in a webpage

Generate a payment link that can be used on web pages or emails

Choose the button type

Buy Now

Update logged in user account irrespective of Paypal email?


You should only enable this option for buttons or links on members pages where a user is already logged in

Request postal address from user?

No don't ask

Select button image to use

btn_buynowCC_LG-1.gif upload your own images to /slpw/pay_paypal/buttonimages/



Copy and paste the code below where you want the button to appear

```
<form action="https://www.paypal.com/cgi-bin/webscr" method="post">
<input type="hidden" name="cmd" value="xclick">
<input type="hidden" name="business" value="paypal@yoursite.com">
<input type="hidden" name="no_shipping" value="0">
<input type="hidden" name="item_name" value="Gold membership">
<input type="hidden" name="item_number" value="ID1">
<input type="hidden" name="amount" value="9.95">
<input type="hidden" name="currency_code" value="USD">
<input type="hidden" name="notify_url" value="http://localhost/sitelokpw/slpw5/pay_paypal/slpaypal.php">
<input type="hidden" name="custom" value="<?php echo \$lordercustom; ?>">
<input type="image" src="http://localhost/sitelokpw/slpw5/pay_paypal/buttonimages/btn_buynowCC_LG-1.gif">
</form>
```

Select code

Button code type

Normally you will select **Generate button form** to make a standard Paypal button form. If you prefer to generate a link instead then select **Generate payment link**. Links can be used in emails if required.

Button type

If the product is a single payment type (not a subscription) then you can choose whether the button is an Add to Cart or Buy Now button. The Add to cart button type is useful if you will allow the user to purchase multiple products at a time (for example if you are selling access to downloads purchased). Add to cart buttons are also compatible with our Vibracart Paypal product as well - <http://www.vibralogix.com/vibracartpp>

Choose the currency

If the product has prices in more than one currency then you can select which one you want to create the button code for.

Update logged in user account

If you check this box and use the button on a members page (i.e. where the user is logged in) then it will force that users account to be updated no matter which Paypal account is used to make payment. This is ideal when you have users logged into a their account and want them to pay to get access to other usergroup(s).

If you use the button on a non members page or a page which doesn't support PHP then you must uncheck this option.

Request postal address

If you wish to receive the payers postal address in the Paypal receipt or to store it in Sitelok custom fields then select the suitable option here.

Select button image

Select a suitable button image to use (not for payment links). We have supplied a few example button images but you can upload your own to the

/slpw/pay_paypal/buttonimages

folder on the server

Create the code

Once you are happy with the settings click the [Select Code](#) button and then copy to the clipboard (ctrl C on Windows or cmd C on Mac). You can then paste the code in your page as required. If you wish you can edit the button code to your needs.

Chapter 5 The return page

If you have enabled Auto Return and PDT in your Paypal account then after paying the buyer will be returned to a page on your site. This page URL is defined in the product definition described earlier. The page can be just a thank you page explaining that their membership login details will be emailed to them or you can if you wish display the login details on this page too.

Important Note. Due to a bug in Paypal's PDT system you cannot display login details in the return page if your subscription includes a trial period. In this case you should return the user to a page explaining that their login details will arrive by email. Hopefully Paypal will solve this at some point.

For an example return page see `returnpage.php` in the zip file. You should copy this page to the root of your site.

To use your own page ensure that it has the extension `.php` and add the following line to the very top of the page.

```
<?php require("slpw/pay_paypal/slpaypal.php"); ?>
```

This assumes the page is in the root of your site but you can adjust this path if not.

You can display data on the page using the same variables that you use to display user data on membership pages. For example.

```
<?php echo $slusername; ?>   Sitelok username  
<?php echo $slpassword; ?>  Sitelok password  
<?php echo $slfirstname; ?>  Users first name
```

You can also display Paypal variables sent to the page. For example to display the transaction id you can use `<?php echo $slorder['txn_id']; ?>`

Because there maybe times when an error occurs during payment we recommend that your return page can handle this. We have setup a variable called `$slordercompleted` that can be tested to check that there were no errors. If an error did occur then the variable `$slmessage` will contain the details. These variables are used as in this example page (see `returnpage.php` in the zip).

Chapter 5 - The return page

```
<?php require("slpw/pay_paypal/slpaypal.php"); ?>
<html>
<head>
<title>Thank you for joining</title>
</head>
<body>
<?php if ($slordercompleted) { ?>
Thank you <?php echo $slfirstname; ?> for joining. Here are your login details<br>
<br>
Username: <?php echo $slusername; ?><br>
Password: <?php echo $slpassword; ?><br>
<br>
If you have any questions please contact us.<br>
<?php } ?>
<?php if (!$slordercompleted) { ?>
Sorry but it appears that an error occurred while processing your order.<br>
<br>
<?php echo $slmessage; ?><br>
<br>
Please contact us to resolve this issue.<br>
<?php } ?>
</body>
</html>
```

Chapter 6 Register via Paypal

Normally the Paypal plugin will create a users account automatically after they click the Paypal button and make the payment. No registration form is needed as we get the information needed from Paypal. The advantage is that the process is quick and easy for the user.


If you need to collect more specific information from the user then there are several ways to do that.

- 1) You can have the user click the Paypal button to create the account and then request further information from them using an update profile form.
- 2) You could have the user register using a registration form for a free account. Then they can click the Paypal button on a free members page which gives them access to the paid areas.
- 3) You can have users register via a registration form but instead of being returned to a thank you page connect them to Paypal to make payment. This way the Paypal process for the product after payment will work as normal.

If you wish to use option 3) then read on.

Using the registration form designer

If you have the Paypal plugin installed you will see some extra settings in the Registration form designer.



The image shows a screenshot of a settings panel titled "Form properties". Inside the panel, there are two sections:

- Registration type**: A dropdown menu with the selected option "Register and pay via Payp".
- Select Paypal product**: A dropdown menu with the selected option "ID1 - Gold membership".

If you select **Register and pay via Paypal** as the registration type you can then select the Paypal product to use when the user submits the form. The code to handle this is added automatically when you generate the form code to paste in your page.

If a user registers but does not complete the payment they will in fact have an account but only with access to a special usergroup called SLNOTPAID and only for 1 day. This allows you to see in the Sitelok admin users who have registered but not paid for some reason. Users only in this special group can register again to attempt payment anyway.

Using your own registration form code

If you want to use your own registration form to connect to Paypal then just set it up as follows.

- 1) Set the usergroup to be **SLNOTPAID**
- 2) Set the expiry time to be 1 day
- 3) Set the user and admin email templates to empty (no emails)
- 4) Use the following thank you page URL

/slpw/pay_paypal/registerpaypal.php?oc=!!!ordercustom!!!&id=prodid&cy=USD

Replace prodid with your Paypal product id and USD with the relevant currency code.

For example

```
<?php registeruser("SLNOTPAID","1","/slpw/pay_paypal/registerpaypal.php?oc=!!!ordercustom!!!&id=prodid&cy=USD","","","Yes","YNYYY"); ?>
```

Chapter 7 Advanced features

Keeping an existing username

When a new account is created in Sitelok by the Paypal plugin we also store the Paypal account id (payer_id) so that future transactions from the same account will update the same Sitelok account. Normally this is all that is needed. However there maybe times when you need to force a Paypal payment to be applied to the currently logged in users account. To do this make sure your Paypal button is on a members page (so that the user is logged in) and add this line to your button (your page with have be .php for this).

```
<input type="hidden" name="custom" value="<?php echo $slordercustom; ?>">
```

Note that transactions that relate to a parent transaction, such as canceling a subscription, will automatically get applied to the same Sitelok account that was created for that subscription irrespective of whether the Paypal account has since been linked to a different Sitelok account or a username has been passed in via the button.

A user can change their username, email or any other account details without affecting anything connected to Paypal.

If you use buttons generated by the Sitelok Paypal Plugin you can check the **Update logged in user account** option to automatically add this line to the generated button.

Using the Paypal Sandbox

If you want to test things using the Paypal Sandbox then set **Sandbox** in the Paypal account type setting on the Paypal configuration page. Ensure that the appropriate Paypal email address and PDT token are set as well as these are unique to the sandbox account.

Canceling subscriptions

You can cancel a users subscription easily from within your Paypal account. Normally users can cancel a subscription by logging in to their Paypal account as well. To make this easier you can add the a link to the

following URL to your site which when clicked will ask the user to login to Paypal and take them to the subscription related to your site.

https://www.paypal.com/cgi-bin/webscr?cmd=_subscr-find&alias=12345678

replacing the 12345678 with your Paypal Merchant account ID. You could use this with Paypal's cancel button like this for example.

```
<a href="https://www.paypal.com/cgi-bin/webscr?cmd=_subscr-find&alias=12345678">

</a>
```

Debugging

Sometimes testing a Paypal installation can be tricky. We recommend that you set up the return page so that you can see any error messages after payment. You can also set a debugging email address so that you can receive data about any errors occurring during the IPN process. This is set in [Send debug email to](#) on the Paypal configuration page.

IPN Passthru

If you need to pass the IPN call from Paypal on to another script you can set the URL in [IPN Pass Thru URL](#) on the Paypal configuration page.

Setting custom field values

When an order is received you can have Sitelok store values from Paypal in custom fields. For example you could choose to store the buyers address details. You can define the data to store and how to update it when further orders are made in the Custom Fields section on the Paypal configuration page.

Custom1

set to ▾

payer_business_name ▾

Custom2

add ▾

mc_gross (order total) mc_amount3 for subscriptions ▾

Custom3

Chapter 8 Support

Hopefully if you have followed this manual carefully everything will be working fine. However sometimes things don't go quite so smoothly so if you have any questions or problems then please check the FAQ on the support page or email us.

Support area: <http://www.vibralogix.com/support/>

Email: support@vibralogix.com