

# Vibracart Pro<sup>TM</sup>

with Rapidweaver stacks



## **Vibracart Pro for Rapidweaver Manual**

Copyright 2020 - 2025 Vibralogix. All rights reserved.

This document is provided by Vibralogix for informational purposes only to licensed users of the Vibracart Pro product and is provided on an 'as is' basis without any warranties expressed or implied.

Information in this document is subject to change without notice and does not represent a commitment on the part of Vibralogix. The software described in this document is provided under a license agreement. The software may be used only in accordance with the terms of that license agreement. It is against the law to copy or use the software except as specifically allowed in the license.

It is the users responsibility to ensure the suitability of Vibracart Pro before using it. In no circumstances will Vibralogix be responsible for any loss or damage of data, programs or income as a result of using Vibracart. Your use of Vibracart implies acceptance of these terms.

# Contents

Chapter 1 Introduction.....	<b>8</b>
What is Vibracart Pro?.....	8
Upgrading from Linklok Paypal and / or Vibracart Paypal? .....	8
Main features .....	8
How does the cart work .....	10
Chapter 2 Installing Vibracart Pro .....	<b>13</b>
Installation & upgrading .....	13
Chapter 3 Setup your Paypal account .....	<b>16</b>
Chapter 4 Setup your Stripe account .....	<b>20</b>
Stripe payment methods .....	22
Chapter 5 Quick Start.....	<b>23</b>
General settings.....	24
Login settings.....	24
Currencies .....	25
Add a product .....	25
Add the cart to your page .....	26
Add a button to your page .....	27
Testing the cart .....	27
Making a store front page .....	28
Using your own thank you page .....	28
Using your own email template.....	29
What's next .....	29
Chapter 6 Dashboard / Orders.....	<b>30</b>
Search / filter orders .....	30
Show totals .....	31
Order actions .....	31
Viewing an order .....	31
Selecting orders.....	32
Delete selected orders.....	32
Export orders .....	33
Refresh orders .....	33
Chapter 7 Products .....	<b>34</b>
General settings.....	34
Product Options .....	36
Option specific prices.....	36
Storefront .....	36
Stock.....	37
Shipping (product specific) .....	38

Options affect shipping .....	38
Digital content .....	39
Deliver bundle of existing digital items .....	39
Download file .....	40
Serial numbers from a file .....	40
User function generate code .....	41
Call URL .....	41
Item adds user to Sitelok .....	41
Product note .....	42
Ignore quantity .....	42
Mailchimp audience ID (list id) .....	42
Kunaki ID .....	43
Trepstar ID .....	43
Software Passport .....	43
Direct download .....	43
Digital content for options .....	43
Buyer input fields .....	44
Required Products .....	44
Other settings .....	45
Generate the product button snippet .....	47
Import products from a CSV file .....	50
Import Linklok Paypal products .....	53
Export selected products .....	54
<b>Chapter 8 Discounts &amp; coupon codes .....</b>	<b>55</b>
Requiring a coupon code .....	57
Requiring Sitelok usergroup membership .....	58
Free shipping .....	58
Cart based discounts .....	58
Order total discount percent .....	58
Order total discount amount .....	59
Order quantity discount percent .....	59
Order quantity discount amount .....	59
Order total discount percent limit .....	60
Products to ignore for order total .....	60
Products to ignore for order quantity .....	60
Item (product) based discounts .....	60
Item quantity discount percent .....	60
Item quantity discount amount .....	60
Multiple item quantity discount percent .....	60
Multiple item quantity discount amount .....	61
Multiple item total discount percent .....	61
Multiple item total discount amount .....	61
Combination quantity discount percent .....	61

Combination quantity discount amount.....	61
BOGO discount percent.....	61
Bogo discount amount.....	62
Step quantity discount percent.....	62
Step quantity discount amount.....	62
Chapter 9 Shipping.....	<b>63</b>
Shipping calculation methods.....	64
Fixed shipping cost per order.....	64
Percentage of total.....	64
List of shipping costs based on total.....	64
Fixed shipping cost per order.....	64
List of shipping costs based on item quantity.....	64
Fixed shipping costs per item in bands.....	65
Fixed shipping cost per shipping unit.....	65
List of shipping costs based on shipping units.....	65
Fixed shipping cost per shipping unit in bands.....	65
Default plan and ordering.....	65
Country / state specific shipping plans.....	65
Chapter 10 Tax.....	<b>67</b>
Tax type labels.....	67
Use IP address for default location.....	67
Allow buyer to change tax location in the cart.....	67
Tax shipping.....	68
Country taxes.....	68
Allow EU VAT number entry.....	68
US State taxes.....	68
Canadian Province taxes.....	69
Chapter 11 Stats.....	<b>70</b>
Charts and graphs.....	70
Chart settings.....	70
Total Sales.....	70
Total Sales of productid.....	71
Total Sales of category.....	71
Quantity of productid.....	71
Top products by value.....	72
Top products by quantity.....	72
Coupon use.....	72
Top coupons.....	72
Top countries by # of orders.....	72
Download datapoint.....	72
Dashboard widgets.....	72
Chapter 12 Send download.....	<b>73</b>
Chapter 13 backup.....	<b>75</b>

Chapter 14 Cart Styles.....	<b>76</b>
Generate the snippets to add to your page .....	77
Add the cart to your page .....	77
Display cart total .....	77
Display item count .....	77
Show cart link (popup only) .....	77
Display cart related discounts.....	78
Storefront snippet .....	78
Display small cart with circle showing number of items.....	78
Example mini cart .....	78
Cart style settings .....	79
Cart mode & size .....	79
Appearance .....	80
Checkout.....	81
Stock.....	84
Agreements .....	85
Cart limit messages .....	85
Discount & Coupons .....	86
Tax .....	87
Shipping.....	88
Cart color & Style.....	89
Buy button style .....	89
Storefront.....	90
Other settings .....	95
Chapter 15 Maintenance Tools .....	<b>97</b>
Products quick backup/restore .....	97
Flag or unflag selected orders as Order Processed .....	97
Mark selected orders as paid or unpaid (external payments).....	97
Change price of selected products .....	97
Enable or disable selected products.....	99
Enable or disable selected discounts .....	99
Adjust stock level of selected products.....	99
Export stock list.....	99
Import Stock list .....	101
Export list of orders zero rated for tax using tax id (VAT Number).....	102
Chapter 16 Configuration .....	<b>103</b>
General .....	103
Admin login .....	104
Payment Processor .....	104
Currencies .....	106
File storage defaults .....	106
Cart limits.....	114
Page & Email templates .....	114

Receipt.....	116
Categories / tags.....	117
Sitelok .....	118
PDF Watermarking .....	119
Email.....	120
Affiliate .....	121
Other settings .....	121
Chapter 17 Using Wimpy Player.....	<b>126</b>
Add Vibracart to the page .....	126
Add Wimpy player to your page.....	126
Enable add to cart buttons in the player .....	126
Link Wimpy Player to Vibracart Pro .....	127
Setting up the playlist.....	127
Chapter 18 Support.....	<b>129</b>
Appendix A Template variables .....	<b>130</b>
Order variables .....	130
Digital product details .....	131
Physical product block .....	132
Link to receipt .....	132
Show Sitelok login details .....	133
Affiliate system calls .....	133
A simple example template.....	133

# Chapter 1 Introduction

## What is Vibracart Pro?

Vibracart Pro is a Paypal and Stripe shopping cart that can automate delivery of digital products as well as handling physical items. It has a control panel allowing you to configure all of the settings and access orders, products, discounts and coupon codes. Tax and Shipping are also supported.

A built in receipt / invoice system provides buyers with an on screen and downloadable PDF receipt.

We have also added a simple storefront page option enabling your products to be presented to your buyers on a searchable and sortable grid that can optionally link to further product information.

## Upgrading from Linklok Paypal and / or Vibracart Paypal?

Vibracart Pro has most of the features of the classic Linklok and Vibracart scripts and many new ones too. For example download links can now have a download limit set as well as an expiry time. Coupon codes can also have a usage limit and discounts can be given a start and end date.

## Main features

- Simple to add the cart and buttons into any .php page
- Optional automated store frontpage to present your products
- Optional automated product details page
- Option to work with existing full Paypal buttons (not Paypal hosted)
- Works as either a popup cart (not in a new window) or an embedded cart inserted in your page.
- Easily change the colour and style to match your site.
- Cart works across any number of pages on your site.
- Total cost, number of items in cart and links to display the cart and checkout can be displayed anywhere on your page.
- Can require terms and conditions to be agreed before checkout
- Products can have multiple images and videos
- Powerful cart and item based discounts and coupon code system.
- Coupon codes can have a usage limit (for example single use).
- Supports Paypal and Stripe for checkout
- Can handle free items with no payment and donation products with buyer pricing
- Option to have checkout with no payment processor (for external payments)
- Tax and shipping costs can be applied

## Chapter 1 Introduction

---

- Automated delivery of download links and serial numbers etc
- Thank you page (with download links where needed) can use a page on your site so it matches perfectly.
- Download products can be stored on your server or externally using Amazon S3, DigitalOcean Spaces, Google Cloud Storage, B2 Cloud or Dropbox.
- Download links can have an expiry and download limit.
- Ability to block downloads for specific orders.
- Products can have options with different prices and buyer input fields.
- Product option combinations can have a specific download file.
- Bundle products can have multiple files.
- Supports multiple currencies.
- Stock control
- Digital products such as download links can be manually sent.
- Nobody ever knows the actual server location of the files - not even the purchaser!
- Support for Kunaki and Trepstar allowing automatic shipping of CD's, DVD's & USB sticks.
- Integrates with Sitelok (our members area script)
- Supports iDevAffiliate and Shareasale and other affiliate systems
- Mailchimp integration
- PDF Watermarking feature
- Option to send emails using PHPmailer or Sendgrid
- Integrates with Wimpy Player's buy buttons
- Sales charts and stats
- Can call Zapier & Integreatly (and others) via web hook for each order

## How does the cart work

Vibracart Pro can work as a popup cart that appears when items are added or as an embedded cart in your page. In each mode there are many settings you can adjust to get things working exactly how you want. You can easily adjust the colors and styles of the cart to match your site. Here are some examples.

### Popup cart (the default mode)

In this mode Vibracart displays a small floating widget showing the number of items currently in the cart, the total and a link to display the cart. When an add to cart button is clicked the widget is updated and the main cart appears above the page (no new page access required). This can be closed as required. There are various options such as hiding the widget when the cart is empty and also keeping the main cart hidden until the user chooses to view it. Here is an example page showing the floating widget on the left and the popup cart displayed

The screenshot shows a demo page for Vibracart Pro in popup mode. On the left, a small floating widget displays '2 Items' and '\$20.88' with a 'View' button. The main page content includes a 'Shopping Cart' popup window. The cart contains the following items:

Item	Quantity	Price
Great Expectations	1	\$3.95
A Christmas Carol	1	\$10.95
Standard Post Shipping		\$2.50
VAT GB (20%)		\$3.48
<b>Total</b>		<b>\$20.88</b>

The cart also features an 'Enter Coupon' field, an 'APPLY' button, a 'CHECKOUT' button, and a checkbox for 'I agree to the terms and conditions'. Below the cart, there is a 'SHOP MORE' button. The background page shows a book listing for 'Great Expectations' and a coupon code '100F'.

### Embedded Cart

The embedded cart style allows you to insert the cart into your page layout instead of using the popup cart and widget. When add to cart buttons are clicked the cart automatically updates without any new page access being required. Here is an example with the cart embedded in the page on the right hand side. The cart can be positioned anywhere and any size (fixed width or percentage width).

# Chapter 1 Introduction

---

Tax has been setup in this demo for EU sales (VAT).

You can apply a 10% discount using the coupon code **10OFF**

Vibracart Pro supports checkout via Paypal and / or Stripe. However for ease of testing we have used Stripe test mode so you can checkout with the following details

Card number: 4242 4242 4242 4242

Expiry date: any future date

CVV: 123

[Next demo page](#)

[Return to Vibracart Pro product page](#)

	<b>Great Expectations</b> #001 1 x \$3.95	1	<b>\$3.95</b>
	<b>A Christmas Carol</b> #001 Format: Paperback 1 x \$10.95	1	<b>\$10.95</b>
Standard Post Shipping options			<b>\$2.50</b>
VAT GB (20%) where country do have an EU VAT number?			<b>\$3.48</b>
Enter Coupon <input type="text"/> <input type="button" value="APPLY"/>			<b>\$20.88</b>
<input type="checkbox"/> <a href="#">I agree to the terms and conditions</a>			
			<input type="button" value="CHECKOUT"/>

## Summer Fun MP3 track

Summer Fun by Ahjay Stelino (thanks to mixkit.co)

\$0.99

## A Christmas Carol (example with options)

Order this classic as a download (PDF or ePub) or as a shipped paperback

If you try the paperback option you will see that the option price is higher and shipping gets added to the cart and an address requested on checkout. Two example shipping options have been setup.

\$3.95

Format

## Mini Cart

You can setup a mini cart on your page to show the total amount and number of items in the cart along with a link to view the cart. It can be used with either the popup or embedded cart. It can replace or be used in addition to the widget as needed. Here is an example



The mini cart is great when used with the popup cart without the widget. You can set the cart to not popup when items are added and instead use an animation to show the item getting added to the mini cart. When the user is ready to checkout they can click the view cart link.

## After checkout and payment

After checkout the buyer is returned to a thankyou page (using your site design) that will contain any download links or serial numbers for applicable products. An email is also sent to the buyer along with a link to access a receipt / invoice.

### Storefront page

Vibracart Pro has been designed to allow you to add the Add to Cart buttons to your product pages wherever you wish allowing complete design freedom.

As of V2.0 we have also added a new automated storefront page as well. This page can present your products on your site in a sortable and searchable grid. Each product can show the image, title, storefront description (HTML content) along with a link to more information, add to cart button and optional product stock and discount information. Here is an example from our website.

The screenshot shows a storefront page with a search bar and a price filter set to 'Price low to high'. A shopping cart icon is in the top right. The page displays four product cards in a grid:

- Password Security Plugin for Siteelok:** Features a lock icon and red asterisks. Description: 'This plugin adds a number of options for controlling the type and use of passwords within Siteelok. Features include control over the characters allowed in the password, password length, password format, forcing password renewal, blocking the reusing of old passwords and locking accounts after incorrect password entry.' Price: \$14.95.
- Disqus Plugin for Siteelok:** Features the Disqus 'D' logo. Description: 'This plugin allows your users to be able to write comments in Disqus as Siteelok users without having to register for a Disqus account.' Price: \$14.95.
- 2FA Plugin for Siteelok:** Features two keys, one green and one red. Description: 'The 2FA plugin for Siteelok provides an extra login level after a user has entered their username and password. A 6 digit single use code is generated using Google Authenticator or Authy apps on the users smartphone (Authy also have versions for macOS, Windows and Linux as well).' Price: \$19.95.
- Azure AD SSO plugin for Siteelok:** Features the Azure AD 'A' logo. Description: 'The Azure AD SSO plugin allows users to login and optionally sign up to your members area via Microsoft Azure AD. Its can work for web apps or intranet and is ideal for Microsoft 365 users.' Price: \$19.95.

Each card includes a 'Find Out More' button and an 'Add to Cart' button. The 2FA and Azure AD SSO plugins also note 'Requires previous purchase of Siteelok'.

Each product on the storefront page can have a button linking to further information. This can be a standard page on your site or can be an optional auto generated page using a template.

# Chapter 2 Installing Vibracart Pro


Before installing Vibracart Pro make sure that your server supports PHP 5.5 or above and MySQL. You will also require an existing empty MySQL database and user before continuing. Normally your hosting control panel will allow you to easily setup a database but contact your hosting provider if you need help.

## Installation & upgrading

- 1) Open Rapidweaver (V7 or above).
- 2) Extract the contents of the vibracartprorw.zip file to your Mac and find the following four .stack files.

- [VibraCartPro-Setup.stack](#)
- [VibraCartPro-Cart.stack](#)
- [VibraCartPro-Button.stack](#)
- [VibraCartPro-MiniCart.stack](#)

- 3) Double click each of the .stack files to install it into Rapidweaver. You will need to restart Rapidweaver after installing the stacks.
- 4) Open your **site home page** in Rapidweaver and ensure it has the **.php extension**. If you change the extension from, html you may need to delete the old index.html page from the server.



- 5) Drag the **Vibracart Pro: Setup** stack onto your page.
- 6) Open the RW Page Inspector and select the **Vibracart Pro: Setup** stack. Scroll down to the Vibracart Pro Setup section.

▼ Setup

DB Host Type: Std. Localhost

DB Name: vcprodb

DB Username: vcprouser

DB Password: fru3d7rgedtwr67ft

- 7) Enter the **DB Name**, **DB Username** and **DB Password** for the database. On most servers (but not all) the **DB Host Type** will be localhost but if not select **Custom** and enter the host provided by your hosting provider.
- 8) Publish the page to your server. There are a lot of files so this may take several minutes.
- 9) After publishing has completed open the page in your browser. If all is well you should see

### Setup of Vibracart Pro Files was Successful !

To Finalize Installation, Please Go To:  
<https://www.yoursite.com/vibracartpro/install.php>

- 10) Click the link to complete the installation. You should then see

### Vibracart Pro Installation Completed Successfully

You can login to the Vibracart Pro control panel at <https://www.yoursite.com/vibracartpro/index.php> (admin / letmein)

- 11) **Important** As Vibracart Pro has now been installed on your server you should either disable or delete the **Vibracart Pro: Setup** stack from your page. This saves all the files being uploaded next time you publish.

If you have any problems with installation please let us know so that we can help you.

Now that installation is complete you can login to the Vibracart Pro control panel at the URL shown in step 9. In most cases this will be at

<https://www.yoursite.com/vibracartpro/>  
Username: admin


## Chapter 2 Installing Vibracart Pro

---

Password: [letmein](#)

If this was a reinstallation or an upgrade then you will need to use your existing username and password.

You should see the main dashboard appear.



# Chapter 3 Setup your Paypal account



If you don't plan to use Paypal you can skip this chapter.

You can use Vibracart Pro in test mode without setting up Paypal if you prefer. In that case you can return to setup Paypal later.

Vibracart Pro makes use of Paypal IPN and AutoReturn PDT. Please ensure that your Paypal account is a business or premier account and that it is verified before continuing.

Before setting up your Paypal account we will make some settings in Vibracart Pro.

Login to the Vibracart Pro control panel, click [Tools - Configuration](#) and open the [Payment processor](#) tab. Check the [Use Paypal](#) checkbox.

Use Paypal

Paypal account primary email address

paypal@yoursite.com

Paypal email or account id for checkout

paypal@yoursite.com

Paypal PDT Token

t908feb4378e238evr189rer4y7ervg348frg43vghhf4

This is a Paypal sandbox account

Delay delivery for Paypal eChecks

Delay delivery for Paypal payment reviews

Paypal IPN Pass thru URL

leave blank if not required

Enter your [Paypal account primary email address](#). This is the primary email on your Paypal account and may be different to the email account you use in your buttons.

## Chapter 3 Setup your Paypal account

---

Enter your **Paypal email or account id for checkout**. This is the email address (or account ID) you wish to make sales with.

If the Paypal account is a sandbox then check the **This is a Paypal sandbox account** checkbox.

Leave the other settings as they are for now.

### Setting up the Paypal account

- 1) Login to Paypal and click your account icon in the top right corner and then **Account settings**.
- 2) Click **Website payments** in the left hand menu.
- 3) Click **Update** next to **Instant payment notifications**.
- 4) Enable IPN and set the IPN URL to the URL displayed in the Vibracart Pro field labelled **Enable IPN with this URL**. If IPN is already enabled you can leave the current URL set (as long as IPN is enabled it's fine).

#### Edit Instant Payment Notification (IPN) settings

PayPal sends IPN messages to the URL that you specify below.

To start receiving IPN messages, enter the notification URL and select **Receive IPN messages** below. To temp messages, select **Do not receive IPN messages** below. PayPal continues to generate and store IPN message **IPN messages** again (or turn off IPN).

Notification URL

IPN messages

- Receive IPN messages (Enabled)  
 Do not receive IPN messages (Disabled)

- 5) Click to **Save** the IPN setting and then click **Account settings** at the top and **Website payments** again.
- 6) Click **Update** next to **PayPal Button Language Encoding** and then click **More Options**.
- 7) Ensure that the character encoding set for IPN is UTF-8.

#### More Encoding Options

Use the following drop-down menu to select the encoding used on your website.

Encoding:

Do you want to use the same encoding for data sent from PayPal to you (e.g. IPN, downloadable logs, emails)?

- Yes  
 No, use:

For more information on adding multiple languages to your website payment buttons or IPN, please refer to the [Integration Guide](#).


## Chapter 3 Setup your Paypal account

---

- 8) Click to **Save** and then click **Account settings** at the top and **Website payments** again.
- 9) Click **Update** next to **Website preferences**.
- 10) Enable **Auto return** and set the Return URL to URL displayed in the Vibracart Pro field labelled **Enable auto return with this URL**. If auto return is already enabled you can leave the current URL set (as long as auto return is enabled it's fine).

### Auto return

**Note:** Turning Auto Return **OFF** will disable the Payment Data Transfer feature.



On

Return URL  
https://www.yoursite.com/vibracart/linklokvcnet.php

Off

- 11) Scroll down and enable **Payment Data Transfer**. Copy the Identity Token generated to the clipboard.

### Payment data transfer (optional)

Payment data transfer allows you to receive notifications of successful payments when they configuration and your Return URL. Please note that in order to use payment data transfer,

**Identity Token:** chlw9VKt1Zti1rile [REDACTED]

### Payment data transfer

On

Off

- 12) Paste the Token in to the Vibracart Pro field called **Paypal PDT Token**.
- 13) Click **Update payment settings** in Vibracart Pro.

Paypal's account layout is quite confusing and often seems to be changed or vary depending on the account type and country. The following diagram may help to pinpoint the settings.

# Chapter 3 Setup your Paypal account

The screenshot shows the PayPal account settings interface. At the top, there is a navigation bar with 'Developer' and 'Help' links, and a user profile for 'Adrian Jones' with a notification badge '1'. Below this is a secondary navigation bar with 'Activity', 'Pay & Get paid', 'Marketing for growth', 'Financing', and 'App Centre'. The main content area is titled 'Account settings' and includes a search bar. The settings are categorized into 'ACCOUNT & SECURITY', 'BUSINESS PROFILE', and 'PRODUCTS & SERVICES'. Under 'PRODUCTS & SERVICES', 'Website payments' is highlighted with a notification badge '2'. The 'Website payments' section contains a table of settings:

Website payments		
<b>My Pre-approved Payments</b>	Manage the subscriptions, pre-approved payments and instalment plans that I offer my customers.	<a href="#">Update</a>
<b>PayPal Buttons</b>	Manage payment buttons.	<a href="#">Update</a>
<b>PayPal Button Language Encoding</b>	Set the language your website uses.	<b>6</b> <a href="#">Update</a>
<b>Website Preferences</b>	Bring customers back to my website after they pay with PayPal.	<b>9</b> <a href="#">Update</a>
<b>API Access</b>	Manage API credentials to integrate your PayPal account with your online store or shopping cart.	<a href="#">Update</a>
<b>Instant Payment Notifications</b>	Integrate PayPal payment notifications to your website.	<b>3</b> <a href="#">Update</a>
<b>Encrypted Payment Settings</b>	Dynamically encrypt your website payments	<a href="#">Update</a>

On the right side, there is a vertical menu with 'Message Centre', 'Profile settings', 'Account settings' (with a notification badge '1'), and 'Log Out'. A notification banner at the top right states: 'We've updated your Profile and Settings experience. [Let us know what you](#)'.

# Chapter 4 Setup your Stripe account

## stripe

If you don't plan to use Stripe you can skip this chapter.

You can use Vibracart Pro in test mode without setting up Stripe if you prefer. In that case you can return to setup Stripe later.

Login to the Vibracart Pro control panel, click **Tools - Configuration** and open the **Payment processor** tab. Check the **Use Stripe** checkbox. We will need to paste some details from your Stripe account into this page.

**Use Stripe**

**Stripe Publishable Key**

**Stripe Secret Key**

**Webhook signing secret (optional)**

**Allow iDeal Payment**

Login to your Stripe account.

- 1) Login to Stripe, click **Developers** (bottom left of dashboard) and then click **API**.
- 2) Copy the **Secret Key** and **Publishable Key** from the **Standard keys** section and paste them into Vibracart Pro. **Important** these keys are different on the test and live accounts.
- 3) Click on **Webhooks** and then the **Add Endpoint** button and paste in the URL from the Vibracart Pro field labelled **Point Stripe webhook to this URL**.
- 4) Click the **Events on your account** radio box.

## Chapter 4 Setup your Stripe account

5) In the version drop down select **2020-03-02** if listed or if not **Your current version**.

Endpoint URL

Description

Listen to

Events on your account  Events on Connected accounts ⓘ

Version

Select events to listen to

[+ Select events](#)

6) Click the **Select events** button.

7) Click the drop down next to the **Checkout** option.

### Select events to send

Select all events ⓘ

Cash Balance

1 event ▾

Charge

13 events ▾

Checkout

4 events ▾

Climate

7 events ▾

Coupon

3 events ▾

8) Check the **checkout.session.completed** box

Checkout **1 selected**

4 events ^

Select all Checkout events

checkout.session.async\_payment\_failed

Occurs when a payment intent using a delayed payment method fails.

checkout.session.async\_payment\_succeeded

Occurs when a payment intent using a delayed payment method finally succeeds.

checkout.session.completed

Occurs when a Checkout Session has been successfully completed.

checkout.session.expired

Occurs when a Checkout Session is expired.

- 9) Click the [Add event](#) button to complete the webhook setup.
- 10) The [Webhook signing secret](#) is an optional setting used to increase the security of webhooks. To get this secret value from your Stripe account go to [Developers - Webhooks](#) and click the webhook you setup. Click [Reveal](#) under [Signing secret](#). **Important** The signing secret is specific to the test and live accounts.
- 11) Click [Update payment settings](#) in Vibracart Pro to save the settings.

### **Stripe payment methods**

Vibracart Pro can work with many of the payment types supported by Stripe in addition to the usual card handling. We have tested with Cards (including Apple pay etc), iDeal, Klarna, Afterpay / Clearpay but others should work too as long as they provide immediate confirmation of approval (Stripe shows this in the payment method description).

# Chapter 5 Quick Start

If you have not done so yet please install Vibracart Pro and setup your payment processor(s) as needed. Further details in the previous chapter.

Before using Vibracart Pro for the first time we should configure some basic details such as your email address etc. In this section we will set things for a quick start. You can add extra features later on.


Login to the Vibracart Pro control panel at

<https://www.yoursite.com/vibracartpro/>

Username: **admin**

Password: **letmein**

You should see the main dashboard appear. This shows all orders (payments) that have been received.



## General settings

Click **Tools - Configuration** in the menu. In the **General** section you can set your site details, date format (for the control panel) and your timezone. Click **Update general settings** when you are finished.

General	General
Admin login	<b>Site email</b> <input type="text" value="noreply@yoursite.com"/>
Payment processor	
Currencies	<b>Site name</b> <input type="text" value="yoursite.com"/>
File storage defaults	
Cart limits	<b>Site URL</b> <input type="text" value="https://www.yoursite.com/vibracartpro/"/>
Page & Email templates	<b>Date format</b> <input type="text" value="MM/DD/YY"/>
Receipt	<b>Time zone</b> <input type="text" value="UTC/GMT +01:00 - Europe/London"/>
Sitelok	<input type="checkbox"/> <b>Allow undefined products (from paypal buttons)</b>
PDF watermarking	The test modes enable you to checkout directly with no payment. This can be set globally or just for the browser where you are logged into the dashboard. If you are tesing using a Stripe test account or Paypal sandbox you should leave the test mode off.
Email	<b>Test mode</b> <input type="text" value="Off (cart live)"/>
Affiliate	
Other	

## Login settings

Click the **Admin login** tab and change the password as required.

## Currencies

Click **Currencies** and select the currency(s) you want to sell with.

You can set the currency symbol to be shown after the amount if needed. This can be overridden in the cart style too.

## Add a product

Click **Products** in the main menu and then click the + icon to add a new product.

Enter a unique **Product id** and the product **Description** along with the base price of the product. Leave the other fields blank for now in the General tab.

If your product is a download click the **Digital content** tab and select **Yes deliver digital content** in the drop down menu.

Click the browse button and find the file you want to deliver. Click **Upload**. If the file is too large to upload you can manually upload to the `vcproducts_xxxxxx` folder on your server. Vibracart Pro also supports storing files in Amazon S3 and other services which we will look at later.

General settings      Digital content

Option specific prices

Digital content

Shipping

**Deliver digital content (download or code etc)**

Yes deliver digital content

Deliver bundle of existing digital items

Download file?

**File location**

vcproducts folder

**Filename**

GreatExpectations.pdf

Browse      Upload


If you would like to use the optional Storefront page option then click the **Storefront /Product** page tab and enter the **Storefront description** for the product.

Click **Create Product** to save the settings.

## Add the cart to your page


Please note that you will need to publish your pages to see the cart function. The Rapidweaver preview will just show your page layout.

In Rapidweaver drag the **Vibracart Pro: Cart** stack on to your page.



and open the stack settings. Set the **Store Processor** to Paypal, Stripe or Paypal & Stripe depending on the payment processors you have setup to use. Set the **Cart Type** to Popup.


### Cart



You need to have the [Vibracart Pro: Cart](#) stack added **once** to each page that will use the cart.

## Add a button to your page

Now we just need to add the Add to Cart button for your new product to the page. To do this drag the [Vibracart Pro: Button](#) stack on the page where you want the button to appear. Open the settings and enter the product id for the product you setup. Select the currency for the button (must be a currency you set the product price for).



By default the button label text and style are set the Vibracart Pro control panel (for the Popup cart style) allowing you to change all buttons easily. However you can choose to enter custom button label text if you wish.

## Testing the cart

If you have used a Paypal sandbox account or a Stripe test account you can test the cart 'live'. For Stripe you can use the card number 4242 4242 4242 4242 any expiry date and CSV.

If you have setup with live accounts you can test with a real card or another Paypal account. However this is messy so we have built in a test mode in Vibracart Pro. You can enable this in [Tools - Configuration - General settings](#). Set the [Test mode](#) to Test mode (global) and click [Update general settings](#).

Open the page you added the cart to in a browser and click the add to cart button. If all is well you should see the popup cart. If not check the code snippets added to the page or contact us for support.

Click checkout in the cart and you will either see the payment processor checkout page or if using the test mode you should see the default thank you page. If your product is a download you should see the download link as well. An email should also be sent to you.

Click the link to view the receipt. For test mode transactions dummy data is used.

### Making a store front page

The optional storefront page can be used to present your products on your site. Users can search and sort the products and see them in a grid. To create a storefront page add the cart to the page exactly as you did on the previous page (*Add the cart to your page*) and where you would like the storefront to appear insert this snippet.

```
<div id="vcstore_storefront" data-vc-currency="USD"></div>
```

This snippet can be found at [Tools - Cart styles](#) then click the Code snippets icon next to Pop up cart.

### Using your own thank you page

By default the thank you page displayed after payment is a simple page using defaultthankyou.html. Its best not to modify that but instead use your own page which you can create in Rapidweaver.

- 1) Create the page on your site leaving room for the download product data to be entered.
- 2) Click [Tools - Configuration](#) in the main menu and click the [Page & Email templates](#) tab. Paste the full URL to your page in the field labelled [Successful order page](#).
- 3) Click the link [Show example HTML snippet](#) under the field and copy the snippet to the clipboard.

#### Successful order page


[Show example HTML snippet to paste in page](#)

```
Thank you for your order, !!name!!!. Your transaction was processed via !!processor!!!  
with the transaction ID !!orderno!!!.<br><br>  
!!eachproductstart!!!  
!!product!!!  
<br>
```

Copy to clipboard

## Chapter 5 Quick Start

- 4) Add an HTML stack to your page where you want to insert the order info and paste the HTML in.



The example HTML will handle most orders containing combinations of physical products, downloads, serial numbers and Sitelok login details. Appendix A has more details about the template variables used.

## Using your own email template

By default the email sent to the buyer after payment is defined in defaultemail.html. Its best not to modify that but instead use your own email template. You can create a simple HTML email (in RW or using another method) on your server and use that in the same way as a custom thankyou page is setup. Usually you would make this a standalone page on your site which is not shown in the navigation etc of course.

- 1) Click **Tools - Configuration** in the main menu and click the **Page & Email templates** tab. Paste the full URL to your email template page in the field labelled **Successful order email template**.
- 2) Click the link **Show example HTML snippet** under the field and copy the snippet to the clipboard.
- 3) Add an HTML stack to your page to your page where you want to insert the order info and paste the HTML in.


Appendix A has more details about the template variables used.

## What's next

Now that you have the basics setup you can go ahead and add further products and setup tax and shipping as needed. The rest of the manual can be used as a reference.

# Chapter 6 Dashboard / Orders


When you first login to the Vibracart Pro control panel you will see the dashboard which shows all orders (payments) received.



By default the latest orders will be shown at the top (sorted by Date) but you can click other columns to change the sort order as needed.

## Search / filter orders

You can use the Filter / Search options to filter the list of orders to those matching the filter(s). Click the Filter / Search arrow and enter the filter condition(s) For example



would show all orders from the entered email address. You can combine up to 5 filter conditions.

## Show totals

▼ Show totals

	Total Net	Tax	Total
USD	46.67	9.33	56.00

To see the net, tax and final totals for the filtered orders you can click the **Show totals** button under the table. If you have orders in multiple currencies these will be shown separately.

## Order actions

		Date		Ir	
			<input type="checkbox"/>	14/07/20 16:43:59	1.
			View receipt		
			Resend order email	02	1.
			Send email	23	1.

Next to each order are icons allowing you to view or delete the order and a drop down arrow showing further options to view the receipt, resend the order email or send an email (this will open your email client). If you use Sitelok you should also see options to email the user via Sitelok or to view the user (user edit page).

## Viewing an order

If you click the view order icon you can see the order details.

This page will show all of the order information collected including name, email and address information if collected. The users IP address and IP location are also displayed. The email content sent to the user can be viewed by clicking the icon next to the email address.

If the order contains digital items such as serial numbers then these will be displayed. For download links you can see how many times each one has been used along with the last download time and IP address. You can click the **Block** button in this section to block downloads for this order.

Vibracart will display information about the buyers browser (user agent) first and current landing page URL, first and current referrer URL and browser time zone. This information can be useful for marketing if you use specific landing pages for each place you advertise/have links and for detecting fraudulent activity.

Although orders cannot be edited it is possible to edit the buyers name, email and address etc. If you use Sitelok you can also change the user name the order is linked to (or assign a username if none is set). To do this hove the mouse in the Buyer details or Shipping details section and click the edit icon. Remember to click the save icon to save any changes.

## Selecting orders

You can select orders to perform actions on multiple orders. You can manually select an order by checking the checkbox or you can setup a filter and then click the Select all icon above the table to select all the matching orders.



 Click this icon to select all orders. If you have a filter enabled then all orders that match will be selected.

 This icon will deselect all orders. If you have a filter enabled then all orders matching the filter will be deselected.

## Delete selected orders

 Click this icon to delete the selected orders. This cannot be undone so we recommend keeping backups of your data.

**Important** If an order has downloads associated with it they will no longer work once deleted.

## Export orders



Click this icon to export the selected orders in .csv format. You can select the fields to export and drag and drop to change the order. You can also export with or without a header line.

 Export selected orders (2) Dashboard > Export selected orders

**Filename**

**Include header row**

**Column order**  
enable and drag & drop the fields as needed

<input checked="" type="checkbox"/> Date	<input checked="" type="checkbox"/> Invoice	<input checked="" type="checkbox"/> Payment ID
<input checked="" type="checkbox"/> Processor	<input checked="" type="checkbox"/> Name	<input checked="" type="checkbox"/> Email
<input checked="" type="checkbox"/> Country	<input checked="" type="checkbox"/> Currency	<input checked="" type="checkbox"/> Total Net
<input checked="" type="checkbox"/> Total tax	<input checked="" type="checkbox"/> Total	<input checked="" type="checkbox"/> Coupon code
<input checked="" type="checkbox"/> Products		

## Refresh orders




If you click refresh all orders will be deselected and any filter removed to show all orders again.

# Chapter 7 Products

Vibracart Pro supports both physical and digital products. Products can even be shipped and have a digital part to them.

When you click Products in the main menu you will see the list of existing products.



From this page you can search for products, edit existing products or add new products. To add a new product click the + icon or the duplicate icon next to an existing product (saves time if the new product has similar settings).

## General settings

- Enabled** Uncheck to disable the product (for example when out of stock).
- Product id** A unique identifier for the product.
- Description** Description for the product that will appear in the cart, receipt and download page (for digital products).
- Tax type** If you have setup different tax type (perhaps standard and zero rate) you can select it here.

<b>Standard base price</b>	The initial base price for a single quantity of this product. You can click the <a href="#">Add quantity price band</a> link to add quantity discounts.
<b>Main product image url</b>	This is an optional main image for the product This can be displayed in the cart (if you enable images for the cart style used) and can also be displayed in in the storefront. You can also upload an image in which case it will be stored in the vccartimages folder created during installation.
<b>Additional images &amp; videos</b>	You can optionally add additional images and videos for the product. These can be displayed in an image grid on your pages and the store front. It has an enlarge image function and uses the HTML 5 video player supporting the MP4, WEBM and OGG formats. Audio in MP3, WAV and OGG formats are also supported.
<b>Product categories</b>	You can optionally set one or more categories for the product. You can select an existing category from the list or enter a new one (ensure to press enter to add it).
<b>Product tags</b>	You can optionally set one or more tags for the product. You can select an existing tag from the list or enter a new one (ensure to press enter to add it).
<b>Minimum qty</b>	If you require a minimum order quantity for this product enter it here. Leave blank otherwise.
<b>Maximum qty</b>	If you need to limit the maximum order quantity for this product enter it here. Leave blank otherwise. If you sell downloads you may for example wish to set this to 1.

## Product Options

If the product has options (color, size, format etc) you can set them up here. You can define the option name and a list of values.

This product has options

Option name (eg size or format)

 ✕

Option values (one per line)

[add option type](#)

Click [add option type](#) to add another option type.

## Option specific prices

Each option value can have a price adjustment compared to the base price. Select the option name and enter a price adjustment for the option values required. Leave 0 if the price is the same as the base price. In this example the Colour Red has a price \$2.50 higher than the standard price.

## Storefront

If you make use of the optional automated storefront page this section allows you to enter more product information.

### Link to product page

Optional. Enter a link to your product page on the site. Exclude the domain part of the URL so for example [/folder/product.html](#). If you make use of the automated product details template just leave this field blank.

### Storefront description

Here you can enter the product description to be displayed on the storefront page. You can use the HTML editor to style the content. If you use images we recommend using the URL link

### Option specific prices

#### Option name

#### White

Price adjust

USD	0
-----	---

#### Blue

Price adjust

Shipping

#### Shipping units

Ignore for shipping (e.g for downloads)

method (rather than embedded). If you leave this field blank then only the main product description / title will be displayed.

**Hide product in storefront** Check this box to hide the product from the storefront.

**Full description** If you use the the automated product details template then enter the full product details here. Otherwise just leave it blank. You can use the HTML editor to style the content. If you use images we recommend using the URL link method (rather than embedded).

## Stock

If you would like VCpro to keep track of stock you can enter the current stock level here. Users will not be able to buy more than the stock available.

For products with options you can enter the stock level for each combination of options required.

There are options to display a product stock level on your pages or to warn when stock is low.

## Shipping (product specific)

### Shipping units

If you have setup shipping charges to be calculated based on shipping units (weight or other system) you can set the product specific value here (can be an integer or floating point value).. Leave it set to 0 otherwise.

### Ignore for shipping

If the product should be ignored when calculating shipping then check this box. This is useful for downloads for example.

## Options affect shipping

If product has options and the value affects the product shipping settings then check the **Option affect shipping settings**. As with the option specific pricing you can set a shipping units adjustment or designate the option value to be ignored for shipping. In this example the Paperback format has the shipping units set to +0.25.

Options affect shipping settings

#### Option name

#### PDF

Shipping units adjust

Ignore for shipping

#### ePub

Shipping units adjust

Ignore for shipping

#### Paperback

Shipping units adjust

Ignore for shipping

## Digital content

If the product has a digital part to it (download, serial number, user added to Mailchimp or Sitelok etc) then click the **Digital content** tab and choose **Yes deliver digital content**. If the product has options you have a choice to set different digital content based on those too.

Deliver digital content (download or code etc)

Yes deliver digital content

Deliver bundle of existing digital items

Download file?

File location

vcproducts folder

Filename

GreatExpectations.pdf

Override expiry time in minutes(leave blank for default)

Override download limit (leave blank for default)

Watermark PDF

## Deliver bundle of existing digital items

Check this box if you want to have this product deliver several other digital products. For example if you sell music and want to deliver an album of tracks you could setup each track as a separate download product in Vibracart Pro and then for the Album check this box and select the tracks to include.

Deliver bundle of existing digital item

Bundle product id's (one per line)

```
track1
track2
track3
track4
track5
```

search...

## Download file

If your product has a download file then check this box.

**File location** This is the location where the file is stored. By default the vcproducts folder that was created during installation is used. It is called vcproducts\_xxx. When using the vcproducts location you can upload your file by browsing for it and clicking the **Upload** button. If the file is already uploaded to the folder then enter just the filename in the **Filename** field.

Other file locations supported are a local file paths or URL, Amazon S3 bucket, Digital Ocean Space, Google Cloud Storage, B2 Cloud and Dropbox. When using these services you can enter the required details for each product or setup default settings in the configuration.

If your download file is large we strongly recommend using the above file services.

**Override expiry** You can set a product specific download link expiry time in minutes. Leave blank to use the default set in the configuration.

**Override limit** You can set a product specific download limit. Leave blank to use the default set in the configuration.

**Watermark PDF** If you have setup PDF watermarking you can have it applied to this download by checking this box (assuming the file is .pdf of course). The feature is described in more detail later.

## Serial numbers from a file

If you wish to deliver a serial number taken from a text file list on your server check this option.

Serial number or code from file (must have write permission)

File location

vcproducts folder

Serial number file

id1serials.txt

Browse

Upload

Select the location where the serial number file is stored. By default the vcproducts folder that was created during installation is used. It is called vcproducts\_xxx. When using the vcproducts location you can upload your file by browsing for it and clicking the **Upload** button. If the file is already uploaded to the folder then enter just the filename in the **Filename** field. You can also select Path and enter a file path to the file.

The serial number file should contain one number per line. A number will be issued for each product sold and displayed in the thank you page and email. Make sure the serial number file has write permission (it will if you upload from the cart).

### **User function generate code**

This option allows you to call the userfunction() in linklokvc.php and return the value for display in the thank you page and email. This is for advanced users only. The value entered in the **User function data** field will be passed to the function.

### **Call URL**

This option will call a URL and display the returned value in the thank you page and email. This could be useful for making unique serial numbers for example or performing other functions when the product is purchased. In the URL you can pass buyer details using the variables **!!!email!!!** and **!!!name!!!**. For example

<https://www.yoursite.com/handler.php?prodid=123&email=!!!email!!!>

### **Item adds user to Sitelok**

If you use our membership product, Sitelok, you can have buyers added to a product specific usergroup. This could be used to provide support access or simply for marketing purposes.

Item adds user to Sitelok

Sitelok usergroups (separated by commas)

SUPPORT

Usergroup expiry days separated by commas

365

Sitelok login URL (or leave blank)

- Sitelok usergroup** Enter the usergroup to add the user to. Multiple usergroups can be separate by commas.
- Usergroup expiry** Enter the expiry days or 0 for no expiry. If you set multiple usergroups you should set an expiry for each one separated by commas.
- Sitelok login URL** This can be a URL to the product specific login page. In most uses you would leave this blank.

When a user account in Sitelok is created or updated the thankyou page and email will include their login details.

### Product note

You can have a product specific note displayed on the thank you page and email by entering it here.

### Ignore quantity

If you check this box then only one download link or serial number will be issues irrespective of the product quantity purchased. This is most useful for download links where only one is normally needed.

### Mailchimp audience ID (list id)

If you have setup Mailchimp you can have buyers added to product specific lists. Enter the audience ID (list id). Mailchimp is discussed after in this manual.

## Kunaki ID

If you have setup Kunaki you can enter the product id here. Kunaki setup is discussed later in this manual.

## Trepstar ID

If you have setup Trepstar you can enter the product id here. Trepstar setup is discussed later in this manual.

## Software Passport

This feature is provided for users moving from Linklok Paypal. Enter the product specific value. You will need to upload your Keymaker.php (exact filename) file to the vibracart folder.

## Direct download

If you check this option then Vibracart Pro will perform a redirect to the download file. This is less secure but can help with files that are too large for PHP to deliver on your server. Its not often needed and in general its best to store large files on supported services such as Amazon S3 instead, where files of any size are supported.

## Digital content for options

If you product has options then you will have a choice about how to setup digital content.

Set **The same digital content for all options** to have a common download (or other content no matter the option(s) selected. The digital content is setup exactly as a product without options would be setup

Set **Depends on the option value(s)** if you want to deliver different content. This is more complex than it seems at first because you may need to deliver files based on a combination of option values. For example for a music track you may have options for Format, License type and Quality (which may also have different prices set). You may want to deliver a file for the combinations while ignoring the license type option.

Mp3 format and 128 bit Quality - [mp3128.zip](#)

Mp3 format and 256 bit Quality - [mp3256.zip](#)

## Chapter 7 Products

---

Ogg format and 128 bit Quality - [ogg128.zip](#)

Ogg format and 256 bit Quality - [ogg256.zip](#)

To do this enter the combination of options (setting any to ignore as [Any](#)) and then setup the content to deliver as usual. For example

Digital content

Deliver digital content (download or code etc)

Depends on the option value(s)

Format

Mp3

License

Any

Quality

128 Bit

Once you have setup the content you must click [Apply](#) to attach the settings to the option combination. You can click [Apply as Default](#) to make the settings the default which would apply to any non specified option combinations.



Default



Mp3 + Any + 128 Bit



Ogg + Any + 128 Bit

Once a combination has been setup you will see them listed. You can click the icons to view or delete the option combination settings.

## Buyer input fields

If you need to collect information from a user for the product you can add the fields in this section. The input fields will appear below the add to cart button. You can set a buyer input as required if needed. Each field can be set to the input type text, number, date, time or a text area.

There can be a combined maximum of 7 product options and buyer input fields per product.

## Required Products

You may have some products that can only be bought together with another product. If so you can set one or more product id's here. At least one of the listed product id's must be in the cart to allow checkout.

You can use the wildcard character \* to match with multiple product id's. For example ID\* would match with any product id starting with ID and having one or more characters after ID.

## Chapter 7 Products

---

### Required products

You can require that at least one of the following products is also purchased.

**Required product id's (one per line). You can use the \* wildcard**

You can set the message displayed to the user in Cart Styles - Cart limit messages.

**Message for additional required product**

Use the variables **!!!description!!!** and / or **!!!id!!!** to insert the product name or id.

## Other settings

This section has settings enabling you to override some of the global settings set in the cart style such as the Add to Cart button label. It also has some other options you can set for the product.

### Created date

This date field contains the date the product was created and is used by the storefront page to determine the product order when sorting by **Newest Arrivals** or **Earlier products**. In practice you can use this date as required to control the order of the products as needed.

### Require Sitelok usergroup membership

If you use Sitelok you can require that the buyer is logged in and a member of the required usergroup to be able to purchase the product. To do this check the box and enter the applicable usergroups separated by commas. If you want to ignore usergroup expiry (and allow anyway) then check the **Allow if expired** check box.

### **Block sale if already purchased (product options ignored)**

If checked then the buyer will be blocked from purchasing this product if they purchased it previously. The user must be logged in to Sitelok for this option to have any effect. You should ensure you have installed the VCpro plugin V1.8 or above for Sitelok too.

### **Redirect to this URL instead of adding to cart**

Normally when an add to cart button is clicked it of course adds the item to the cart. However you can instead have the button open a specified page. This can be useful if you have some products which need to be processed separately but you still want to include them in the store front. To enable this option for the product enter the URL in this field. You can use the variables **!!!id!!!** and **!!!quantity!!!** in the URL query if needed.

## Generate the product button snippet

Once you have setup a product you can generate the button code snippet to add to your page. Only add the buttons to pages where you have installed the cart.

Click the  code snippet icon next to the product in the list to display the snippets page.

There are a number of ways to add the button depending on your needs.

### Dynamic button

Select **Dynamic button** as the **Button type**. The dynamic button is ideal for most situations as any changes to the product prices or option will appear automatically. The button style and label text / image will be adjusted depending on the settings in the cart style apply to the page. This enables you to update the button style of all buttons in one go.

**Important** Rapidweaver users can use the VCP Button Stack to add a dynamic add to cart button to the page.

You will also see other dynamic data snippets that can be used on your page to display product info as follows.

<b>Base price</b>	This shows the products base price. This is excluding tax by default but you can change that in the cart styles tax section. By default the price doesn't include any product discounts setup. You can change this in the cart style settings.
<b>Item price</b>	This displays the item total which is the base price plus the cost of any selected options (excluding quantity). You can also show this value (adjusted for quantity) within add to cart button labels by using <code>!!!itemprice!!!</code> . The price shown excludes tax by default but you can change that in the cart styles tax section. By default the price doesn't include any product discounts setup. You can change this in the cart style settings.
<b>Description</b>	Displays the products description.
<b>Store description</b>	Displays the optional store description.
<b>Full description</b>	Displays the optional full description. This is usually used on a product template page if implemented.
<b>Main image</b>	This is an <code>&lt;img&gt;</code> tag that will display the product image. You may need to add size styling to the tag.

- Additional Images** Inserts the image grid to display any additional images, videos or audio for the product. You can choose whether the main product image is included or not in the **Cart Styles Other settings** tab. You can set some sizing options in the styling parameters of the snippet.
- Item discounts** When you create product discounts you can enter an **Optional discount description to show on the page**. This snippet will display the description for any product discounts that apply to this product. If there are multiple discounts they will each be displayed on a new line. Discounts that require a coupon will not be displayed.
- Stock details** This will display any relevant stock message you have setup in the stock section of the cart styles. This could be out of stock, low stock or in stock etc.
- Last purchased** This will display the last purchased date for this product (ignores product options). Only available if using Sitelok and the VCpro plugin and the user is logged in.

Note for Rapidweaver users. We don't currently provide stacks for the above snippets but they are very easy to add anyway. You can either

- 1) Add an HTML stack to your page and paste in the snippet.
- 2) Paste in the snippet where needed, select it and choose Ignore formatting from the RW format menu.

### **Snippets for the product detail template**

If you use the storefront and have a product page that will be used as a template to show details about all products then you can use the dynamic snippets above. However make sure you select **Snippets for product template page** in the button type drop down. This will generate the snippets with the special product id [vctemplate](#).

### **Other button types**

If you select **Other button types** as the **Button type** you will see some other button options which can be useful in certain circumstances too.

### **Buy button (using onclick)**

This is the most common type of button to use. Just paste the snippet to your page. The button style and label text / image will be adjusted depending on the settings in the cart style apply to the page. This enables you to update the button style of all buttons in one go.

### **Buy button (using form)**

This will generate a similar button but using a form instead. If your product has options you will need to use this option. The button style and label text / image will be adjusted depending on the settings in the cart style apply to the page. This enables you to update the button style of all buttons in one go.

### **Buy link**

This is a simple hyperlink that can be used on your page. It will only work if it is used in a hyperlink tag `<a href="link">`.

### **Javascript function call**

More advanced users can use this function call to add the item to the cart.

### **Link to use on external pages (blogs etc)**

Use this link on external websites such as a blog. When you generate the link you need to change the URL to point to a page on your site that uses the cart. You can add a coupon code to link by adding `&coupon=CODE` to the end.

### **Product with options**

If the product has options defined or buyer input fields then you will need to use the **Dynamic button** or **Buy button (using form)** snippet option to allow the buyer to select the values. If you only want to generate a button for a specific option combination then you can do so and use the other button snippet types as well.

## Import products from a CSV file

You can import products into Vibracart Pro from a .csv file with the following format. The file must have a header in the first row to show which columns represent each field. The following columns fields are supported.

Header title	Example
id *	id1
description *	Floral dress
price *	9.95 For multiple currencies use USD=9.95:EUR=8.95
categories	Comma delimited list of categories. For example  Chairs,Dining
tags	Comma delimited list of tags. For example  Green
quantityprices	For quantity price breaks above 1 enter quantity:price. For example  2:6.95,5:5.95:10:4.95  For multiple currencies use this format for the price part 5:USD=6.95:EUR=5.95
image	<a href="https://www.yoursite.com/id1.png">https://www.yoursite.com/id1.png</a>

## Chapter 7 Products

additionalmedia	<p>Comma delimited list of image URL's. For example</p> <p>image1.png,image2.png</p> <p>For videos you need to provide one or two video URL's and a poster image URL. These are semicolon delimited. For example</p> <p>vid1.mp4;vid1.ogg;img1.jpg</p> <p>For images and videos stored in the vccartimages folder just use the filename.</p>
taxtype	0 to 2 (0 is the default)
optionname1 - optionname7	Color
optionvalues1 - optionvalues7	White,Black,Red
optionadjust1 - optionadjust7	<p>3.00,-1.00,5.00</p> <p>One for each value listed comma delimited</p> <p>For multiple currencies use USD=3.00:EUR=2.00</p> <p>Price adjustments can be negative.</p>
enabled	1 (0 to disable)
required	id1,id2
ignoreforshipping	1
shippingunits	5
minty	3
maxqty	100
buyer inputs	Field1,Field2

*Fields marked \* are required*

## Chapter 7 Products

---

A good way to see the proper formatting required for import is to create a product in the dashboard and then export it. You can then view the exported CSV file.

You can have imported products selected which makes them easier to see in the products list.

## Import Linklok Paypal products

If you are currently using Linklok Paypal then we can import defined products from either linklokipn.php itself or an external products CSV file.

Please note

- 1) Products setup with product options will be imported as separate products.
- 2) Unsupported product features such as EMAILTEMP won't be imported.
- 3) Only products are imported, not settings.

Go to Tools - Import products

**Import products** Dashboard - Import products

If you currently use Linklok Paypal you can import products in to Vibracartby uploading either the linklokipn.php file or a product CSV file. Most servers will block .php files being uploaded so rename linklokipn.php to linklokipn.txt.

Please note that each product line will create a product in Vibracart so if you have product options these will be created as separate products. Also prices in Linklok Paypal are minimum prices but in Vibracart they will be the standard base prices.

**Import source file**

linklokipn.php (rename with .txt) ▾

**Select file (max 8M)**

**Default currency if not defined**

GBP ▾

Select products added

You can choose either to import from linklokipn.php (which must be renamed linklokipn.txt for import) or from a product file.

Select the default currency in case some products just have the price set.

You can have imported products selected which makes them easier to see in the products list.

## Export selected products

You can export selected products to a CSV format file. After selecting products click the export products icon

Export selected products (3) Dashboard Export selected products

Please note that product export doesn't currently export quantity band prices, option specific shipping adjustments or option specific downloads.

**Filename**

**Include header row**

**Column order**  
enable and drag & drop the fields as needed

<input checked="" type="checkbox"/> id	<input checked="" type="checkbox"/> enabled	<input checked="" type="checkbox"/> description	<input checked="" type="checkbox"/> price
<input checked="" type="checkbox"/> image	<input checked="" type="checkbox"/> optionname1	<input checked="" type="checkbox"/> optionvalues1	<input checked="" type="checkbox"/> optionadjust1
<input checked="" type="checkbox"/> optionname2	<input checked="" type="checkbox"/> optionvalues2	<input checked="" type="checkbox"/> optionadjust2	<input checked="" type="checkbox"/> optionname3
<input checked="" type="checkbox"/> optionvalues3	<input checked="" type="checkbox"/> optionadjust3	<input checked="" type="checkbox"/> optionname4	<input checked="" type="checkbox"/> optionvalues4
<input checked="" type="checkbox"/> optionadjust4	<input checked="" type="checkbox"/> optionname5	<input checked="" type="checkbox"/> optionvalues5	<input checked="" type="checkbox"/> optionadjust5
<input checked="" type="checkbox"/> optionname6	<input checked="" type="checkbox"/> optionvalues6	<input checked="" type="checkbox"/> optionadjust6	<input checked="" type="checkbox"/> optionname7
<input checked="" type="checkbox"/> optionvalues7	<input checked="" type="checkbox"/> optionadjust7	<input checked="" type="checkbox"/> taxtype	<input checked="" type="checkbox"/> shippingunits
<input checked="" type="checkbox"/> ignoreforshipping	<input checked="" type="checkbox"/> minqty	<input checked="" type="checkbox"/> maxqty	<input checked="" type="checkbox"/> required
<input checked="" type="checkbox"/> buyerinputs	<input checked="" type="checkbox"/> download	<input checked="" type="checkbox"/> extra	<input checked="" type="checkbox"/> quantityprices
<input checked="" type="checkbox"/> additionalmedia			

[Restore default order](#)

You can select the fields you want to export and also drag and drop the order.

# Chapter 8 Discounts & coupon codes

Vibracart Pro has a powerful discount system allowing you to apply cart or item based discounts based on quantities or total amount ordered etc. Each discount specified can be set so that it is only applied if a matching coupon code has been entered too. Coupon codes can be multi use or limited to a certain number of uses.

Click **Discounts** in the main menu. From this page you can search for discounts, edit existing discounts or add new ones. To add a new discount click the + icon or the  duplicate icon next to an existing discount (saves time if the new discount has similar settings).

Discount settings

**Discount type**

Applies the percentage discount to the cart total if the order total is the specified value or higher.

**Discount percentage**

 %

**When total is greater or equal to**

**Validity (or leave blank)**

**Discount cart description (leave blank for default)**

**Dashboard internal note (not seen by buyer)**

We will look at each discount type in more detail later but there are some fields and features that are commonly used which we can look at now.

## Enabled

You can uncheck this box to disable the use of a discount.

## Discount type

This sets the discount type. Some are cart wide and others are for specific products.

## Validity

You can set a start and / or end date for the discount. Leave the date fields blank to have the discount work at any time.

## Discount cart description

This is description will be shown in the cart (and receipt). If you leave it blank the default description set in the Cart Style will be used.

## Optional discount description to show on the page

This description will be shown on the page by the [itemdiscounts](#) snippet for related products. For cart based descriptions it will be displayed by the [cartdiscounts](#) snippet.

## Dashboard internal note

This is a note or description that is used only in the dashboard. Its useful to describe the discount.

## Product Id's

For Item (product) based discounts you need to enter a list of the product id's that the discount will be applied or assign specific product categories or tags (see below). The wildcard character \* can be used to match multiple products. For example ID\* would match with any product id starting with ID and having one or more character after that. You can search to help find products.

Product id's (one per line)

## Categories / tags

For Item (product) based discounts you need to enter one or more product categories or tags that the discount will apply to or enter a list of specific product id's (see above).

Select the existing category or tags required. You can't create new ones from this page.

Categories / tags

Type and press enter or select

## Requiring a coupon code

Normally discounts will apply to all buyers but you can make each a discount require a valid coupon code to be applied. To require a coupon code check the **Require coupon code** checkbox.

Enter one or more codes that will be used. Codes are not case sensitive. The wildcard character \* can be used to allow multiple codes. For example PROMO\* would allow any coupon code starting with PROMO and having one or more characters after that.

**Require coupon code**

**Coupon codes (one per line)**

**Coupon cart description**

**Coupon code use limit (blank for unlimited)**

You can enter a description that will appear next to the coupon code in the cart. If you leave it blank the default coupon description set in the Cart Style will be used.

By default coupon codes can be used any number of times. If you require the listed coupon codes to have a limited usage then enter the number in the **Coupon code use limit** field. For example entering 1 will ensure that each code listed (for this discount) can only be used once. If you use the same coupon code for multiple discounts then the usage limit is handled separately for each discount.

### Requiring Sitelok usergroup membership

If you use Sitelok you can also require a buyer to be a member of a usergroup for a discount to be applied. To enable this check the **Require Sitelok usergroup membership** box and enter the usergroup. You can enter multiple usergroups separated by commas (user can be a member of any one of them to get the discount). Check the **Allow expired** checkbox if you want to ignore usergroup expiry (all discount even if expired).

### Free shipping

If you check this option then you can offer free shipping as well as or instead of the discount amount. You must set the maximum amount for the free shipping. Only plans that cost the same or less will be free.

Free shipping

Free shipping up to

GBP	10.00	USD	15.00	EUR	12.00
-----	-------	-----	-------	-----	-------

If you wish to offer free shipping with a coupon code then the easiest way is to setup a simple order total discount percent like this.

## Cart based discounts

### Order total discount percent

Applies a percentage discount to the cart total if the net order total is the specified value or higher.

## Chapter 8 Discounts & coupon codes

---

### Discount type

Order total discount percent ▾

Applies the percentage discount to the cart total if the order total is the specified value or higher.

### Discount percentage

0 %

### When total is greater or equal to

GBP 0.00

USD 0.00

EUR 0.00

### Validity (or leave blank)

from DD/MM/YY 

to DD/MM/YY 

### Discount cart description (leave blank for default)

### Dashboard internal note (not seen by buyer)

Free shipping with coupon

### Free shipping

### Free shipping up to

GBP 10.00

USD 20.00

EUR 14.00

### Require coupon code

### Coupon codes (one per line). You can use the \* wildcard

FREESHIP

### Coupon cart description

Free shipping

## Order total discount amount

Applies a discount amount to the net cart total if the order total is the specified value or higher.

## Order quantity discount percent

Applies a percentage discount to the cart total if the total number of items purchased is the specified value or higher.

## Order quantity discount amount

Applies a discount amount to the cart total if the total number of items purchased is the specified value or higher.

### **Order total discount percent limit**

This is similar to the order total discount percent discount in that it applies a percentage discount to the cart total. However you can also set an upper limit that the discount applies to. So for example you could apply a 10% discount for orders above \$10 but only apply up to \$100.

### **Products to ignore for order total**

If you need to exclude certain items from being included in the total amount for cart based discounts then select this option and enter the product id's.

### **Products to ignore for order quantity**

If you need to exclude certain items from being included in the total quantity for cart based discounts then select this option and enter the product id's.

## **Item (product) based discounts**

### **Item quantity discount percent**

Applies a percentage discount to the specified products item price if the quantity purchased of that product is the same or more than specified.

### **Item quantity discount amount**

Applies a discount amount to the specified product item price if the quantity purchased of that product is the same or more than specified.

### **Multiple item quantity discount percent**

Applies a percentage discount to the unit price of a group of items where more than a certain number from the group are purchased. For example if you have a selection of mp3 tracks you can offer 10% off of those tracks if any 3 from the selection are purchased.

### **Multiple item quantity discount amount**

Applies a discount amount to the unit price of a group of items where more than a certain number from the group are purchased. For example if you have a selection of mp3 tracks you can offer \$0.25 off of each track if any 3 from the selection are purchased.

### **Multiple item total discount percent**

Applies a percentage discount to the unit price of a group of items where more than a total sales value from the group is purchased. For example if you have a selection of mp3 tracks you can offer 10% off of those tracks if the buyer spends \$10 on them.

### **Multiple item total discount amount**

Applies a discount amount to the unit price of a group of items where more than a total sales value from the group is purchased. For example if you have a selection of mp3 tracks you can offer \$0.25 off of each track if the buyer spends \$10 on them.

### **Combination quantity discount percent**

Applies a percentage discount to the unit price of a group if items where more than a certain number of each item listed are purchased. For example if you have a selection of mp3 tracks you can offer a 10% discount off of those tracks if all 7 from an album are purchased.

### **Combination quantity discount amount**

Applies a discount amount to the unit price of a group if items where more than a certain number of each item listed are purchased. For example if you have a selection of mp3 tracks you can offer a \$0.25 discount off of those tracks if all 7 from an album are purchased.

### **BOGO discount percent**

Buy this many

Qty	1
-----	---

To get this discount

100	%
-----	---

This can be used to offer buy one get one free or buy two get one half price type discounts. For example for a buy 1 get one free you would set the quantity to 1 and the discount to 100%.

## **Bogo discount amount**

This can be used to offer buy one get one free or buy two get one cheaper type discounts. It's similar to the percent version but discounts by an amount instead.

## **Step quantity discount percent**

This can be used to offer unit pricing that changes depending on the quantity purchased. Unlike item quantity discount percent which adjusts the price of all items based on the quantity this discount allows you to, for example, charge one price for the first one purchased, another price for the next 5 purchased and a third price for the following 5 etc.

## **Step quantity discount amount**

This can be used to offer unit pricing that changes depending on the quantity purchased. Unlike item quantity discount amount which adjusts the price of all items based on the quantity this discount allows you to, for example, charge one price for the first one purchased, another price for the next 5 purchased and a third price for the following 5 etc.

# Chapter 9 Shipping

Vibracart Pro has a number of ways to calculate shipping for orders.

Click Shipping in the main menu to see the list of shipping options you have already setup. You can add a new option or edit an existing one. If you setup more than 1 shipping option then the user will be able to select the one used. You can set the shipping text and link used in the Cart Style.

Click the [Add shipping option](#).

Shipping option settings

Enabled

Shipping option name

Shipping calculation method

Fixed cost per order ▼

Set a fixed shipping amount for all orders.

Fixed cost per order

USD

Enter a name for the shipping option (this will appear in the cart).

The screenshot shows a 'Shopping Cart' window with a close button (x) in the top right corner. It contains the following elements:

- Country:** A dropdown menu with 'United States' selected.
- State:** A dropdown menu with 'California' selected.
- Shipping Options:** A dropdown menu with two options: 'Standard delivery - \$0,00' and 'Next day delivery - \$8,95'. The 'Next day delivery' option is currently selected.
- Buttons:** 'APPLY' and 'CANCEL' buttons are located below the shipping options.
- Footer:** At the bottom, there is a partially visible 'Enter Coupon' field and a total amount of '€49.05'.

Select the Shipping calculation method. We will look at each one shortly.

Shipping option cost limits

Minimum shipping costs

USD	<input type="text"/>
-----	----------------------

Maximum shipping costs

USD	<input type="text"/>
-----	----------------------

Free shipping above

USD	<input type="text"/>
-----	----------------------

Most shipping calculation methods have additional settings to enforce a minimum and maximum shipping amount and also a net total amount above which shipping is free. You can leave any of the settings blank if not needed.

Product's can be set to be **ignored for shipping** so they are not used for the shipping calculation. This is useful for download products for example.

# Shipping calculation methods

## Fixed shipping cost per order

This method charges the amount entered on every order.

## Percentage of total

Calculates the shipping as a percentage of the cart net total.

## List of shipping costs based on total

Shipping is calculated based on the order total. For example you could charge \$10 for orders up to \$50, \$15 for orders up to \$100 and \$20 for orders over that. You can have up to 20 total amount levels.

## Fixed shipping cost per order

Shipping is calculated based on a fixed amount for each item in the cart.

## List of shipping costs based on item quantity

Shipping is calculated based on the total number of items in the cart. For example you could charge \$5.00 for up to 3 items, \$7.00 for up to 10 units and \$10.00 if over that. You can have up to 20 total amount levels.

## Fixed shipping costs per item in bands

Shipping is calculated based on an amount for each item in the cart. For example you could charge \$5.00 for the first 10 items, \$1.00 for the next 5 items and then \$0.50 for the rest. You can have up to 20 quantity price levels.

## Fixed shipping cost per shipping unit

Shipping is calculated based on a fixed amount for each shipping unit (weight or other value) in the cart. Each product can have a shipping unit amount set. Product options can be set to adjust the shipping units too.

## List of shipping costs based on shipping units

Shipping is calculated based on a fixed amount for each shipping unit (weight or other value) in the cart. For example you could charge \$5.00 for up to 3 units, \$7.00 for up to 6 units and \$10.00 if over that. You can have up to 20 unit cost levels.

## Fixed shipping cost per shipping unit in bands

Shipping is calculated based on an amount for each shipping unit (weight or other value) in the cart. For example you could charge \$5.00 for the first 1 unit items, \$1.00 for the next 5 units and then \$0.50 for the rest. You can have up to 20 unit price levels.

## Default plan and ordering

You can drag and drop the plans in the list to change the order they appear. The first plan listed will be the default.

## Country / state specific shipping plans

By default the buyer can choose from any available shipping plans. If you wish to have plans that are specific to the buyer's country (and optionally US state or Canadian province) you can do this by adding the country codes the plan applies to.

Make this shipping plan location specific

Optional shipping locations to limit where this plan will apply

Type country codes or select from list and press enter

---

You can specify US states in the format **US-NY** and Canadian Provinces as **CA-BC** etc.

You can use the special **OTHER** code to apply when the selected shipping country is not specified by other plans.

Please note that if you only have country / state specific shipping plans setup and a buyer tries to set a shipping location you have not included they will see the error message set in **Tools - Cart styles - Shipping - Shipping location not allowed message**. If you wish to ship everywhere make sure you setup a shipping plan that include the special location called **OTHER** as described above.

If you have any location specific shipping plans setup then the buyer will need to select their location in the shipping section of the cart before selecting a plan.

If you wish to GEO-IP detect US states or Canadian Provinces you will need to upload the file **GeoLite2-City.mmdb** available from our support area (or <https://www.maxmind.com>) to the **vibracartpro/ipinfo/** folder.

Settings such as the label text for the shipping page can be set in **Tools - Cart styles - Popup cart** (or whichever) - **Shipping**

You can also have the shipping location and tax location synchronised by checking the option in **Tools - Cart styles - Popup cart** (or whichever) - **Tax**.

# Chapter 10 Tax

If you are required to collect tax then click **Tax** in the main menu and check the **Collect taxes** checkbox.

## Tax type labels

Most businesses use a single tax rate which covers all products. Vibracart Pro supports three tax types in case some products need a different rate.

Type 0 is considered the standard default rate. Enter labels for each type.

### Tax type labels

0	Standard	1	Alt rate 1	2	Alt rate 2
---	----------	---	------------	---	------------


## Use IP address for default location

When enabled Vibracart Pro will use the buyers IP address to determine their location so we can apply the correct tax. By default we install files to determine the IP country. If you collect US state tax or Canadian Province tax then we recommend uploading the file `GeoLite2-City.mmdb` available from our support area to the `vibracartpro/ipinfo/` folder. This can detect the state or province the buyer is in too.

## Allow buyer to change tax location in the cart

This product includes GeoLite2 data created by MaxMind, available from <https://www.maxmind.com>

When enabled this option allows the buyer to change the tax location themselves. This useful as IP address location is not totally accurate or a buyer may be located away from their normal business location.



## Tax shipping

If tax should be calculated including the shipping costs then you can enable that here. You can either have the tax calculated at a rate specifically for shipping to pro-rated based on the total tax in the order.

## Country taxes

If you need to charge tax based on the buyers country (such as EU VAT) then check this box.

You can select the country and enter the tax rate percentage for each of the three tax types. In most cases you only need to set the first one and leave the other two set to 0. Click Add country to enter further countries.

Spain	21	0	0	✕
Sweden	25	0	0	✕

[Add country](#)

## Allow EU VAT number entry

When you enable country taxes you will see an option to allow EU VAT numbers to be entered. If you collect EU VAT and want to allow a VAT number to be entered to have the tax set to 0 enable this option. You can set your home country (which normally won't allow VAT number entry) and also how to handle VAT number verification when the VIES server is down.

Allow EU VAT number entry

Except from GB

Allow VAT number if it can't be verified

This can happen if the VIES server is down for example

## US State taxes

If you need to collect taxes based on the buyers US state then enable this option.

## Chapter 10 Tax

---

You can select the state and enter the tax rate percentage for each of the three tax types. In most cases you only need to set the first one and leave the other two set to 0. Click [Add state](#) to enter further countries.

US state taxes

Alabama	4	0	0	✕
---------	---	---	---	---

[Add state](#)

If you have enabled [Use IP address for default location](#) then we recommend uploading the file `GeoLite2-City.mmdb` available from our support area (or <https://www.maxmind.com>) to the `vibracartpro/ipinfo/` folder. This can detect the state the buyer is in too.

### Canadian Province taxes

If you need to collect taxes based on the buyers Canadian province then enable this option.

You can select the province and enter the tax rate percentage for each of the three tax types. In most cases you only need to set the first one and leave the other two set to 0. Click [Add province](#) to enter further countries.

Canadian province taxes

Alberta	12	0	0	✕
---------	----	---	---	---


If you have enabled [Use IP address for default location](#) then we recommend uploading the file `GeoLite2-City.mmdb` available from our support area (or <https://www.maxmind.com>) to the `vibracartpro/ipinfo/` folder. This can detect the province the buyer is in too.

# Chapter 11 Stats

This page shows a number of graphs and charts to provide a visual view of your sales. You can also display some of the data in widgets on the main dashboard page if you wish.

## Charts and graphs

### Chart settings



Note: The graphs show the current total for the defined period and the total for the previous period. Where the range is set to This Month or This Year the previous total will be for the complete previous month or year so you can see how far ahead or behind sales are.

### Total Sales

This line graph shows the total sales during the defined period for a particular currency. You can set the currency and date range as needed. Data points are shown for each day where the range covers 90 days or less otherwise the data points are shown monthly.

### **Total Sales of productid**

This line graph shows the total sales for a particular product during the defined period in a certain currency. You can set the product id, currency and date range as needed. Data points are shown for each day where the range covers 90 days or less otherwise the data points are shown monthly.

You can use wildcards for the product id. So for example ID\* would include all products starting with ID followed by at least one character (ID001 etc).

If you wish to see data for a specific product with options you can include the option after the product id like this

ID001,small  
ID001,small,blue  
etc

The wildcard \* cannot be used when charting product options.

### **Total Sales of category**

This line graph shows the total sales for a particular product category or tag during the defined period in a certain currency. You can set the product category or tag, currency and date range as needed. Data points are shown for each day where the range covers 90 days or less otherwise the data points are shown monthly.

### **Quantity of productid**

This line graph shows the total quantity for a particular product during the defined period (currency independent). You can set the product id and date range as needed. Data points are shown for each day where the range covers 90 days or less otherwise the data points are shown monthly.

You can use wildcards for the product id. So for example ID\* would include all products starting with ID followed by at least one character (ID001 etc).

If you wish to see data for a specific product with options you can include the option after the product id like this

ID001,small  
ID001,small,blue  
etc

The wildcard \* cannot be used when charting product options

### Top products by value

This bar chart shows the top 10 products sold by value during the defined period for a particular currency.

### Top products by quantity

This bar chart shows the top 10 products sold by quantity during the defined period (currency independent).

### Coupon use

This line graph shows the total quantity of coupon codes used during the defined period. Data points are shown for each day where the range covers 90 days or less otherwise the data points are shown monthly.

You can use wildcards for the coupon code. So for example SAVE\* would include all coupon codes starting with SAVE followed by at least one character (SAVE25 etc).

### Top coupons

This bar chart shows the top 10 coupon codes used during the defined period.

### Top countries by # of orders


This bar chart shows the top ten countries by number of orders during the defined period.

## Download datapoint


On each graph you can click the Expert CSV button to download the datapoints from the displayed graph.

## Dashboard widgets

For each chart you can optionally display, above the main order table, a small dashboard widget showing some of the data.



To select the widgets you wish to display click the widgets icon  in the top right corner of the main dashboard page.



# Chapter 12 Send download

There will be times when you need to manually send a download link or serial number to someone. To do this click Send download in the main menu.

### Send download

**Product id's (one per line)**

Q

**Download expiry time**

Use product default ▼

**Download limit**

Use product default ▼

**Name**

**Email**

**Optional message. Replaces !!!manualmessage!!! in the email template.**

Send email?

Enter the product id's you want to send (one per line) along with the name and email of the recipient. You can override the products default expiry time and download limit if needed.

If you want the details sent to the user by email ensure the Send email checkbox is checked. If you have installed Sitelok you can also choose whether to update the users account too.

When you click **Process** you will see a copy of the email (whether you chose to send it or not) containing the download links and serial numbers etc displayed on the screen. You can manually copy these details if needed

By default The email template used when sending emails using the Send Download option is called [defaultmanualemail.html](#) but you can set one or more templates in the configuration section. If you set more than one then you will be able to choose the template to use.


The optional message area will be inserted in to the sent email where the [!!!manualmessage!!!](#) variable is placed.

When you send download links manually Vibracart will create an order which you can view in the dashboard. The values will all be 0 as no payment is applicable. If you view the order you can see when download links are used and also block them if required. Receipts are not applicable to manually sent links.

# Chapter 13 backup

Backing up is always an important task and although most hosting control panels provide a way to backup MySQL tables we decided to add this directly to Vibracart Pro to make this a simple process. Click [Tools - Backup](#) from the main menu to open the backup page.

Clicking the [Backup](#) button will create a new backup file that will be stored in a folder create during installation. This will be named `vcbackups_XXXX` (the part after `_` will be random). The backup system can handle large databases and will store the data required to recreate all orders, products, discounts, coupons and configuration etc. The file format used is `.sql` so the file can be imported into any standard mysql admin system such as phpmyadmin. There is an option to compress the file after creation using `gzip` which will dramatically reduce the file size. Once the file has been created and saved you can download it by clicking the file link. We recommend deleting the files from the server after downloading them for security.



You should still backup folders such as `vcproducts_XXXXX` and `vccartimages` from your server separately.

# Chapter 14 Cart Styles

Vibracart Pro supports multiple cart styles enabling you to have pages with a different style of cart if needed. For example you could have a popup cart on parts of your site and an embedded cart on other pages. Most of the text shown in the cart is set in the cart style as well as colours etc.

Each cart style will generate a specific settings file that will be loaded in your page. The code snippets used are generated for you so you don't need to understand code.

By default after installation we have three cart styles setup. Click [Tools - Cart Styles](#).

**Important** The Rapidweaver stacks currently use just two cart styles depending whether you choose popup or embedded cart.

## Popup cart


To edit the style of the popup cart click the  edit icon next to the cart style called [Popup cart \(vcsettingspopup.js\)](#). Don't change the Cart id (which must be popup).

## Embedded cart

To edit the style of the popup cart click the  edit icon next to the cart style called [Embedded cart \(vcsettingseembedded.js\)](#). Don't change the Cart id (which must be embedded).

## Mini cart

When using Rapidweaver you can use the mini cart with either the popup or embedded cart. There is no reason to edit the Mini cart style.



## Generate the snippets to add to your page

Once you have created a cart style you want to use (or use a default one) click the  code snippet icon next to the cart style in the list.

You will see two snippets to add to your page.

## Add the cart to your page

**Important** When using Rapidweaver you can use the VCP CART stack to add the cart Header and Body snippets to the page

### Header snippet

The first snippet needs to be added to your page in the `<head>` section. If you are editing HTML directly this can be added like this for example.

```
<head>
<title>My store</title>
INSERT SNIPPET HERE
</head>
```

If you are using a page editor they usually provide a way to past code to the header section of the page.

### Body snippet

The second snippet should be added to the very bottom of your page just before the `</body>` tag.

## Display cart total

This snippet will insert the cart total anywhere on your page. It can be used as part of a mini cart.

## Display item count

This snippet will insert the number of cart items anywhere on your page. It can be used as part of a mini cart.

## Show cart link (popup only)

This snippet will add a show cart link to your page and can be used as part of a mini cart.

## Display cart related discounts

This snippet will display any cart discounts that have the **Optional discount description to show on the page** field set. Discounts that require a coupon are not shown. Multiple discounts are shown on new lines. Set the currency as needed.

## Storefront snippet

This snippet is used to add the storefront to the page. Select the currency.

## Display small cart with circle showing number of items

This snippet will display a small cart with a circle showing the number of items in the cart. You can set the the size, cart colour and circle color.



## Example mini cart

This snippet is an example mini cart you can use on the page. It basically combines the other snippets along with a cart image that looks like this.



## Cart style settings

There are a large number of settings that can be adjusted. We will look through most of them here (some are self explanatory though).

### Cart mode & size

This section defines the type (Popup or embedded), position and size of the cart.

#### Cart ID

Enter a label for the cart. Use alphanumeric and \_ characters only as it will become part of the settings file name such as settingsstyle**popup**.js.

#### Description

Enter a cart description which is only used internally.

#### Cart mode

Select either Popup or Embedded.

#### Cart horizontal position type

Sets the position of the cart in the center or relative to the left or right of the browser window. For left or right you can set the distance (pixel or %) from the edge.

#### Cart vertical position

Sets the position of the cart in the center or relative to the top or bottom of the browser window. For top or bottom you can set the distance (pixel or %) from the edge.

#### Cart height & width

Enter the size of the cart in either pixels or as % of the browser window (or container element in the case of the embedded cart).

#### Cart height & width limits

If you use a % as the cart size you can set a minimum pixel size as well. Normally its best not to allow the cart to be smaller than 300 pixels wide and 400 pixels high.

**Show cart on page load (popup only)**

Check this box to have the popup cart appear when a page is loaded. If unchecked the cart who only appear when show cart is clicked or an item is added to the cart.

**Show cart when item added (popup only)**

Check this box to have the cart appear when an item is added to the cart.

**Hide cart when empty (popup only)**

Check his box to have the cart hidden when empty.

**Use widget (popup only)**

To enable the widget on the page check this box.

**Widget horizontal position type**

Sets the position of the widget in the center or relative to the left or right of the browser window. For left or right you can set the distance (pixel or %) from the edge.

**Widget vertical position**

Sets the position of the widget in the center or relative to the top or bottom of the browser window. For top or bottom you can set the distance (pixel or %) from the edge.

**Widget height & width**

Sets the size of the widget in pixels.

**Initially show empty widget**

Check the box to have the widget shown when page first loads even if the cart is empty. If unchecked the widget will be hidden on page load if the cart is empty.

**Hide widget when empty**

Check to have the widget hidden if there is nothing in the cart.

**Appearance**

This section has settings that define which item data is shown on the cart and some of the text used. For the popup cart style the text and image used in the widget can also be set.

## Checkout

You can define the cart checkout button type in this section.

### Connecting message

This is the message that appears in the cart while connecting to the payment processor.

### Paypal checkout button type

If you select Default Image then the Paypal checkout button will use the image file [paypalbutton.svg](#).



If you prefer you can select **Text below** and enter the button label. You can style the button later. Alternatively you can enter an image URL to use.

### Stripe checkout button type

If you select Default Image then the Stripe checkout button will use the image file [stripebutton.svg](#).



If you prefer you can select **Text below** and enter the button label. You can style the button later. Alternatively you can enter an image URL to use.

### External payment (invoicing) checkout button type

If you select Default Image then the Invoicing checkout button will use the image file [payinvoicebutton.svg](#).

### Pay Invoice Later

If you prefer you can select **Text below** and enter the button label. You can style the button later. Alternatively you can enter an image URL to use.

### Checkout & Continue button height

Set the height of the checkout buttons and continue button. This ensures the buttons are all the same height (image or text based) so that they line up properly.

### **Checkout & Continue button width or blank for auto (text buttons only)**

Image based buttons will have their width based on the height set (in the above setting) to ensure the image ratio is maintained. This setting can be used to ensure any text based buttons have the same width. Leave blank to have text based buttons have variable size based on the label text.

### **Successful order email template**

You can override the Successful order email template URL set in the configuration. Leave blank to use the global setting.

### **Successful order page**

You can override the Successful order page URL set in the configuration. Leave blank to use the global setting.

### **Force Sitelok login before checkout**

If you have Sitelok installed you can force users to login before they can checkout by checking this box

### **Use external payments (invoicing)**

As well as supporting payment on checkout via Paypal or Stripe you can also allow buyers to pay later using bank transfer or other external payment methods. In this case when on checkout they will enter their details in the cart (instead of the payment processor) and then be taken to the success page.

There are various options for when external (invoiced) payments are accepted.

- [Never](#)
- [Exclusively for all orders \(no pay now options\)](#)
- [As a buyer option for all orders \(payment now is still an option\)](#)
- [Exclusively for order above a certain amount \(no pay now options\)](#)
- [As a buyer option for order above a certain amount \(payment now is still an option\)](#)
- [Exclusively for order below a certain amount \(no pay now options\)](#)
- [As a buyer option for order below a certain amount \(payment now is still an option\)](#)

**Use external payment for Sitelok members of these usergroups**

If you have Sitelok then you can enable external payments for logged in users who belong to any of the listed usergroups. This is useful if you want to allow invoicing for existing clients for example.

**Free/external payment checkout button label**

This is the label on the checkout button when the checkout is free or will be paid externally (invoiced).

**Free/external payment checkout name label**

This is the label for the name field when the checkout is free or will be paid externally (invoiced).

**Free/external payment checkout email label**

This is the label for the email field when the checkout is free or will be paid externally (invoiced).

**Free/external payment checkout address labels**

These are the labels for the address fields when the checkout is free or will be paid externally (invoiced). The address will be requested either when shipping is required or for every order based on [Shipping address](#) setting in [Tools - Configuration - Payment processor](#). You can leave an address field blank if you don't need it (for example if you don't need State).

**Custom fields for all orders**

You can set up to 5 custom fields (optionally required) that will be requested on checkout. Each field can be set to the input type text, number, date, time or a text area. Leave the label empty if you don't need a field.

## Stock

If you use VCpro to keep track of stock and wish to display stock information on your pages (and storefront) then you can set various options here.

### **Product disabled message when add to cart button clicked**

This is the message seen in the cart when a user clicks an add to cart button when a product is disabled. If you use the default dynamic buttons then they will be disabled anyway so the user won't see this message.

### **Product disabled message when checkout clicked**

This is the message seen in the cart when a user clicks checkout and one or more products are disabled. If you use the default dynamic buttons then they will be disabled anyway so the user would only see this message if the product was disabled since adding it to the cart. Use the variable **!!!description!!!** in the label text to show the affected product.

### **Out of stock message when add to cart button clicked**

This is the message seen in the cart when a user clicks an add to cart button when a product is out of stock. If you use the default dynamic buttons then they will be disabled anyway so the user won't see this message.

### **Out of stock message when checkout clicked**

This is the message seen in the cart when a user clicks checkout and one or more products are out of stock (or insufficient stock). If you use the default dynamic buttons then they will be disabled anyway so the user would only see this message if the product became out of stock since adding it to the cart. Use the variable **!!!description!!!** in the label text to show the affected product and **!!!stock!!!** to show the stock left if needed.

### **Out of stock message on page**

If you want to display stock information on your pages (using the relevant snippet) then you can this message will be displayed when no stock is available. Leave blank to not show a message in this case.

### **Low stock message on page when stock less than x**

If you want to display stock information on your pages (using the relevant snippet) then you can this message will be displayed when stock is below a certain level. Leave blank to not show in this case. Use the variable **!!!stock!!!** to show the stock left if needed.

### **In stock message on page**

If you want to display stock information on your pages (using the relevant snippet) then you can this message will be displayed when stock is available. Use the variable `!!!stock!!!` to show the stock left if needed. Leave blank to not show a message in this case.

## **Agreements**

In this section you can define up to three checkboxes that will appear on the cart. Enter the text to display (keep it short) and an optional URL to link the text too. If you set the unchecked message text then the user will be required to check the box to checkout. If you leave it blank then the users choice is just recorded. You can see the users agreements when you view an order. If you use Sitelok you can flag each agreement to not be shown when a buyer is logged in.

## **Cart limit messages**

If you have setup cart limits in the Configuration you can define the message text that buyers will see in this section.

For amount limits you can use the variable `!!!amount!!!` to insert the limit amount. For example

#### **Minimum total message**

Minimum purchase is `!!!amount!!!`

Use `!!!amount!!!` to display the amount set

For quantity limits you can use the variable `!!!quantity!!!` to insert the limit quantity.

## **Message for Sitelok membership required**

If you have setup products that require Sitelok usergroup membership for purchase then you can set the message seen in the cart when a non member tries to purchase it.

## Discount & Coupons

### Default cart discount title

This is the default label that is shown next to the cart discount in the cart. If you have defined discount specific descriptions then those will be used instead.

### Default item discount title

This is the default label that is shown next to the item discount in the cart. If you have defined discount specific descriptions then those will be used instead.

### Allow coupon codes

Check this box to include the coupon code field on the cart.

### Coupon field label

This is the field label that appears on the cart.

### Default coupon title

This is the default title used next to a coupon on the cart. If you have define coupon specific descriptions then those will be used instead.

### Coupon not valid message

The message that is shown when an invalid coupon code is entered.

### When an item discount applies use this price on the page

By default the `baseprice`, `itemprice` and `quantityprices` snippets will display the non discounted product prices. You can set this to Show discounted price instead. Note that not all product discounted prices can be represented so some may only appear when the item is added to the cart. Also discounts that require a coupon code are not shown. Also note that cart based discounts are only applied in the cart. There may be slight rounding errors between what is shown and the value shown in the cart.

### Show original price appended to base price and item price

If you have selected to show discounted product prices with the above setting you can set the text to use after the price. For example entering

```
&nbsp;was <s>!!!oldprice!!!</s> (saving !!!saving!!!)
```

would show \$14.95 was \$19.95 (saving \$5.00)

## Tax

In this section you can enter the text that is displayed for the tax fields and also the fields when a buyer can change their tax location. If you have not enabled tax then you can leave these settings with their defaults.

### Default tax title

This is the default tax title shown on the cart next to the tax amount. This will be overridden by the titles setup for country, US state or Canadian taxes if defined.

### Country tax title

This will be used when a country based tax is applied. You can use the variables `!!!countrycode!!!` & `!!!taxrate!!!` to insert the values.

If you are charging EU VAT you could set this field like this for example.

#### Country tax title

VAT `!!!countrycode!!!` (`!!!taxrate!!!`)

Use `!!!countrycode!!!` & `!!!taxrate!!!` to insert the values

### US state tax title

This will be used when a US state tax is applied. You can use the variables `!!!subdivisioncode!!!`, `!!!countrycode!!!` & `!!!taxrate!!!` to insert the values.

### Canadian province tax title

This will be used when a Canadian province tax is applied. You can use the variables `!!!subdivisioncode!!!`, `!!!countrycode!!!` & `!!!taxrate!!!` to insert the values.

### Tax note

This will appear beneath the tax on the cart. If you allow users to change their tax location this text will link to the location form. If you are collecting EU VAT this could be set like this for example.

#### Tax note

change location or have an EU VAT number?

This will be the link text if you allow users to select tax location

### Show prices on page including tax

If checked then prices displayed by the dynamic snippets will include Tax at the rate currently selected in the cart. They will change if the user changes their tax location. Note that prices shown in the cart are still shown excluding tax as the tax is displayed separately.

### **Synchronise tax and shipping location**

Check this box to ensure that the buyer selected tax and shipping location are set the same.

## **Shipping**

### **Default shipping title**

This is the default text shown next to the shipping amount in the cart. If you have defined descriptions for your shipping options the those will be used instead.

### **Shipping note**

This text will appear below the shipping in the cart. If you allow the buyer to choose a shipping option then the text will be a link to the form.

### **Allow buyer to select shipping method**

If you have setup multiple shipping options then you can check this box to allow the buyer to select the option themselves.

### **Shipping choice drop down size**

This sets the size of the vertical drops down box that displays the shipping options in the cart. Normally this is set to 1 (normal dropdown menu) but you can set it to show more plans if you wish.

### **Use IP address for default location**

If you have setup country specific shipping plans then you can check this box to allow the default country to be set by IP. If not you can define a default country and state / province.

### **Country dropdown label**

Set the country label used on the shipping section of the cart. You can also set the US state and Canadian Province labels.

### **Shipping location not allowed message**

This is the message a buyer sees if they try to select a shipping location you don't ship to. This would happen if you only have plans that are location specific and you have not setup a shipping plan to cover other locations. See the Shipping chapter for more details.

## Cart color & Style

This section allows you to set the font used and also the colours of almost every part of the cart.

More advanced users can edit the .css file for the cart type (vcpopup.css or vcembedded.css) instead if required. In that case you should check the box **Use styles from CSS files only** to ignore the settings from this section. remember to keep copies of the CSS files you modify.

Cart color & style

Use styles from CSS files only

Font

Arial

Header

Background color

#EDED

Bottom border color

#AAAAAA

Title text color

#000000

Close icon color

#000000

Cart background color

#FFFFFF

Border

Color

#281FD1

Style

Rounded 5px

Shadow

Shadow

## Buy button style

When you create the snippet for a product buy button using the **Dynamic button**, **Buy button (using onclick)** or **Buy button (using form)** snippets the button style and text is set in the configuration. This allows you to easily change the style of all buy (add to cart) buttons in one go.

You can choose to use a button image (enter the image URL) or you can use text instead. In fact you can combine both if you wish.

You can also set a default Out of Stock label to use on buttons when the product is disabled. Leave blank to just keep the standard label. Both the button label and the out of stock label used can be overridden for specific products when you set those up.

For products with options you can set whether you want them displayed vertically or horizontally above the button. This can be overridden for specific products.

Check the Show button quantity field box if you want to display a quantity field above the button. This can be overridden for specific products.

If you use the Buy link or Javascript function call snippets then these settings are ignored as the snippet would be used with an existing element.

**Tip:** You can use *!!!itemtotal!!!* in your button label to insert the amount to be added to the cart (adjusts with option and quantity changes).

### **Storefront**

This section sets up the appearance of the optional storefront. You can define which info is displayed for each product.

#### Storefront

##### **Store alignment within the object it's added to**

Choose the horizontal alignment of the store front grid in the page (or object) it has been added to.

##### **Store front width**

Set the width of the store front. If you use a percentage then this will be related to the object you added the storefront snippet to. You can also set a minimum and maximum size as well.

##### **Row spacing**

Set the row spacing in pixels of the product grid. Column spacing is adjusted automatically.

##### **Maximum columns**

Sets the maximum columns displayed.

##### **Products per page**

Set the number of products shown per page.

#### Product box

##### **Background color**

Sets the background color of the product box

### **Border style**

You can set a border for the product box as needed (use 0px for no border)

### **Width limits (px or set to 0)**

The grid system will set the width of the product boxes as required but you can set a minimum and maximum width here. Either can be set to 0 for no limit.

### **Minimum height**

The grid system adjusts the product box height automatically. You can however set a product box minimum height if needed. Use 0 for no minimum.

### **Top padding**

Sets the padding size at the top of the product box. Normally this is set to 0 so that the product image starts at the top.

## Product

### **Show product image**

You can choose whether to show the product main image only, additional images only in an image grid or the main image together with additional images in the image grid.

### **Image width**

Sets the product image width as a percentage of the product box or pixels. Normally 100% works well.

### **Force all images to the same height**

You can force product images to have the same height by setting it here. Leave blank if not required or if your images already have the same height.

### **Font**

Sets the font used on for the product details. You can select or type the font name. If you use a Google font make sure it is loaded on the page where you use the storefront.

### **Description**

Sets the style of the description (product title).

### **Price**

Sets the style of the price.

### **Show stock information (defined in Stock tab)**

If you wish to show stock information check the box and set the style required. You will need to setup what stock info is displayed in the stock tab.

### **Show product discounts (defined in discount page description)**

If you want to show any product discounts related to this product check the box and set the style required.

### **Hide products requiring Sitelok membership when not applicable**

Check the box if you want to hide in the storefront any products requiring Sitelok usergroup membership if the user is not a member and logged in. You can still show the products but in that case the user will see a message if they try to add the product to the cart.

## Add to cart / More info buttons

### **Show more information button**

If you use a product details template or if you have set links to product pages in your product settings then you can display a button to link to the page. You can have this button shown (if a link is set) with these conditions:

- Always
- Never
- Only for products with buyer inputs
- Only for products with options
- Only for free products
- Only if user is not member of a required Sitelok usergroup

### **URL to product detail template**

A product detail template page is a special page that can be used to display product information about any products. This can save creating pages for each product. If you make use of this feature then set the URL to the template page here. Don't include the domain part (e.g. /folder/product.html).

### **Button label and other styles**

Set the label text for the More Information button and set the button styles as needed.

### **Show Add to Cart button**

Decide when buy buttons will be displayed in the product boxes. For most sites you would probably always display them but on other sites you may

want to show only a more information button or hide the buy button in certain conditions. You can set to show the button:

- Always
- Never
- Hide if product has buyer inputs
- Hide if product has options
- Hide for free products
- Hide if user is not a member of a required Sitelok usergroup

Note that the Add to Cart button styling is set in the Buy button style tab.

### Sort, search & pagination

In this section you can decide the sort options that can be used by the user. Enable, set the label and choose the default for each of the following as needed.

Latest arrivals	Sorts using the product creation date. This can be set in the product definition as needed to control this sort type. For example you could set the dates to push certain products and label this sort 'Featured' or something similar.
Earlier products	Sorts using the product creation date. This can be set in the product definition as needed to control this sort type.
Price low to high	Sorts using the product price. Product related discounts that affect the single item price are taken into account for the sort. Cart based discounts are not applied.
Price high to low	Sorts using the product price. Product related discounts that affect the single item price are taken into account for the sort. Cart based discounts are not applied.
Name A to Z	This sorts using the general product description (title)
Name Z to A	This sorts using the general product description (title)

If you only have one sort option selected then this will be used but no drop down sort option box will be shown.

#### **Show search box**

Check the box to allow users to search products.

You can set the style of the search box as needed. The same styles are used for the sort drop down menu as well.

## Categories

By default the store will show all products. You can if you wish either limit the store to showing only products in specific categories / tags or allow the user to select a category / tag to show only those related products.

### Base category(s)

If you wish the store page to only show products from specific categories or tags then enter them in this setting. Normally you would leave it blank.

If you prefer to set this directly in the store page you can instead add this setting directly to the store page snippet like this.

```
<div id="vcstore_storefront" data-vc-currency="GBP" data-vc-category="6"></div>
```

The 6 is the category id number which you can get from [Tools - Configuration - Categories](#). Separate multiple category id's using a comma.

### Buyer category selection

Here you can set whether the buyer can choose a category / tag. By default the buyer will see all products (optimally filtered by the base category set above). Alternatively you can have a category drop down shown on the store page listing all of the categories (not tags) or the categories / tags you select.

## Show cart and number of items in toolbar

You can choose to show a cart image in the top right of the store front allow the user to quickly see how many items are in it and to show the cart ready for checkout.

### Cart image

Select the color of the cart icon or use your own image. Select none to hide the cart.

### Number of items

Set the color of the number of item in the cart circle

### Hide widget on storefront page

If you use the icon on the storefront you can check the box to hide the standard VCpro widget on this page but still have it available on other pages using the same cart style.

## Other settings

### **Fade page when cart displayed (popup only)**

Check this box to have the page faded behind the cart.

### **Save cart for next time**

Enable this option to have the cart stored in the users browser so that the contents are still visible on a future visit.

### **Animate item to cart**

If you check this box then when an add to cart button is clicked it a cart image will travel to the mini cart. Select from on of the built in images or enter a URL to your own.

### **Link products in cart back to product page**

If enabled the items in the cart will link back to the product page where it was added to the cart.

### **Include main product image with additional images**

You can chose whether the Image Grid will include the main product image or just the additional images / videos.

### **Image grid borders**

Allows you to ad borders to the main image or thumbnail images in an product image grid.

### **Last purchased**

If a buyer is logged into Sitelok (and you have the VCpro for Sitelok plugin V1.8 or above installed) you can optionally show the last date this item was purchased (options are ignored) using the relevant product snippet. You can set the text to use in this setting. The date can be inserted using **!!!date!!!**. For example

**Last purchased on !!!date!!!**

If needed you can include simple HTML in the text. This could be useful if you want to point the user to a download page for example. You can insert the product id with **!!!id!!!**. For example

**Last <a href="download.php?prodid=!!!id!!!">purchased</a> on !!!date!!!**

**Replace 0.00 prices on the page with this text**

If you prefer to replace the price of free items to show something like FREE instead of 0.00 you can enter that here. This will be used in item pricing but not in the cart itself.

**Hide add to cart buttons if buyer not logged into Sitelok**

You can hide all add to cart buttons if the user is not logged in to Sitelok.

**Hide prices if buyer not logged into Sitelok**

Prices can be hidden unless a user is logged into Sitelok. If enabled you can enter the text to show instead of of the price. For example 'Login to view prices'.

**Store referrer details in cookie (set to 0 to don't store)**

This sets the number of days the referrer cookie is stored. This cookie stores the initial visit and current visit landing page URL and referrer URL along with the users browser type. You can set tis to 0 to not stop the cookie.

**Seconds to show messages for in cart**

This determines how long messages are shown in the cart before disappearing (in seconds).

**Limit time between first item added and checkout (normally leave unchecked)**

If you sell time sensitive products such as rare metals you can set a maximum time between an item being added to the cart and the checkout. If enabled you can set the maximum time in minutes and the warning message to show to buyers. If you use this option remember to disable [Save cart for next time](#).

**Override currency set in page elements (force currency)**

You can set this to force the currency to be overridden in all snipers to use. By default this is set to No.

# Chapter 15 Maintenance Tools

This page provides a number of useful tools.

## **Products quick backup/restore**

This feature allows you to make a quick backup of the products. We recommend using this whenever you make bulk changes to products or stock levels just in case the changes are not what you expected or something goes wrong.

Once a backup has been made it can be restored at any time. Only one backup can be made.

Restoring a backup will revert products, discounts and stock levels to how they were when the backup was made. It won't affect orders or other cart settings. However orders made between backup and restore may have affected stock levels.

This option is separate to the main backup option in Tools - Backup.

## **Flag or unflag selected orders as Order Processed**

If you use the optional order flag field (to mark as shipped etc) on each order you can use this option to flag all the currently selected orders as flagged or unflagged.

## **Mark selected orders as paid or unpaid (external payments)**

If you have enabled external payments you can use this option to mark selected orders as paid or unpaid.

## **Change price of selected products**

This is a powerful feature that can be used to adjust the price of the currently selected products.

You can increase or decrease prices by a percentage or by a fixed amount. You can set which currency(s) this will apply to. You can also decide

whether this should apply to the base price only or also to quantity prices, and / or option price adjustments.

There is also an option to limit changes to selected products with base prices in a certain range.

You can set the type of rounding to use on the newly calculated prices.

### **Rounding type**

As calculated	Use the new price as calculated
Round to nearest	This will round the price to the nearest rounding amount set
Round up to	This will round the price up to the rounding amount set
Round down to	This will round the price up to the rounding amount set

You can set the amount for the rounding as follows.

### **Rounding amount**

0.05	This will round so that the price is a multiple of 0.05. For example rounding up 23.63 would result in \$23.65
0.10	This will round so that the price is a multiple of 0.10. For example rounding up 23.63 would result in \$23.70
0.20	This will round so that the price is a multiple of 0.20. For example rounding up 23.63 would result in \$23.80
0.25	This will round so that the price is a multiple of 0.25. For example rounding up 23.63 would result in \$23.75
0.50	This will round so that the price is a multiple of 0.50. For example rounding up 23.63 would result in \$24.00
1.00	This will round so that the price is a multiple of 1.00. For example rounding up 23.63 would result in \$24.00
ending in .49	This will round up to the nearest price ending in .49. For example rounding up 23.63 would result in \$24.49

ending in .95

This will round up to the nearest price ending in .95. For example rounding up 23.63 would result in \$23.95

ending in .49 .99

This will round up to the nearest price ending in .49 or .99. For example rounding up 23.63 would result in \$23.99.

ending in .29 .49 .79 .99

This will round up to the nearest price ending in .29 .49 .79 or .99. For example rounding up 23.63 would result in \$23.79.

## Enable or disable selected products

Use this option to bulk enable or disable selected products.

## Enable or disable selected discounts

Use this option to bulk enable or disable selected discounts.

## Adjust stock level of selected products

This option can be used to bulk update the stock levels of selected products. You can increase, decrease or set the stock level by the amount entered. Note that products with options that are stock dependent will have those options adjusted as well.

## Export stock list

You can use this option to generate and export a stock list.

### Filename

Enter the filename to use such as stock.csv

You can choose to include all products, selected products, products with a stock level lower than entered or higher than entered.

The export file has 4 columns as follows (no header column).

Product ID	Options	Stock	Description
------------	---------	-------	-------------

The options column lists the relevant option values separated by the | character.



### Export all stock quantities as zero

Check this box to generate the stock list with all stock levels set to 0. This is useful if you want to make a stock template and to only reimport adjustments/Import stock list

### Import Stock list

Use this option to update product stock levels.

### Select the file to import

Chose the commas delimited (CSV) file to import. The file format should be as follows with **no header field**.

Product ID	Options	Stock
------------	---------	-------

The options column lists the relevant option values separated by the | character.

For example

ID1	medium white	10
ID1	large white	12

You can have an optional 4th column containing the product description as well (for convenience) although this will be ignored.

Note that a stock level of NA means the product is not affected by stock (such as a download product).

We recommend creating the CSV file using the export stock list option. You can then simply update the stock levels as needed and then import it.

### Stock quantity type

When importing this setting determines how the stock number will be used.

**Adjust quantity** The stock level will be increased by the stock value (or decreased by a negative value).

**Set to quantity** The stock level will be set to the stock value.

**Select products adjusted**

Check this box if you want all products affected by the stock import to be selected.

**Export list of orders zero rated for tax using tax id (VAT Number)**

Use this option to export a list of orders where the VAT was zero rated using a VAT number (tax id) within a range of dates.

# Chapter 16 Configuration

Vibracart has a large number of configuration settings to provide as much flexibility and customisation as possible. In this chapter we will look at each setting.

## General

### Site email

This is the email address used to send emails from the cart.

### Site name

This is your business name

### Site URL

Should be set to the full URL of your site (e.g. <https://www.yoursite.com>)

### Date format

This is the date format used within the dashboard. You can set DD/MM/YY or MM/DD/YY. The date format used on receipts can be set separately.

### Time zone

Set this to the local timezone so that times shown in the dashboard are local too.

### Allow undefined product (from Paypal buttons)

If you check this box then the cart will work with most full Paypal buttons (not Paypal hosted buttons though). This may be useful for users upgrading from version of Vibracart Paypal. If your products are digital then you will need to have the products setup in the cart. We have an import products option which can help import product from Linklok Paypal.

### Test mode

By default the cart will connect to the payment processor after checkout is clicked. If you use a Paypal sandbox account to Stripe test account then you can do so with the Test mode left **Off (cart live)**. If you are using production accounts then you can enable the test mode to allow testing of actions that are performed after payment. For example you can test the thank you page layout, email, download links and receipt layout etc. If you set **Test mode (this browser only)** then the test mode will apply only to you

but leave your site available for real buyers to purchase normally. If you set **Test mode (global)** then everyone will bypass payment.

## **Admin login**

In this section you can change the username and password that are used to login to the Vibracart Pro dashboard.

## **Payment Processor**

### **Use Paypal**

Check this box to accept Paypal. You should follow chapter 3 (Setup your Paypal account) to configure you Paypal account to work with Vibracart Pro.

### **Paypal account primary email address**

This is the primary email on your Paypal account and may be different to the email account you use in your buttons.

### **Paypal email or account id for checkout**

This is the email address (or account ID) you wish to make sales with.

### **Paypal PDT Token**

Enter your PDT token value obtained when you setup your Paypal account (see chapter 3).

### **This is a Paypal sandbox account**

If the Paypal account is a sandbox then check this box.

### **Delay delivery for Paypal eChecks**

Check this option if you wish to delay delivery of downloads etc until an eCheck has cleared. It is recommended to disable eChecks in your Paypal account for most sites as they are often used by hackers or by mistake.

### **Delay delivery for Paypal payment reviews**

Check this option if you wish to delay delivery of downloads etc while Paypal reviews a payment (this only rarely happens on most sites).

### **Paypal IPN pass thru URL**

If you wish to have Vibracart Pro call another IPN handler then enter the URL here.

### Enable IPN with this URL

This is the URL you should set Paypal IPN to use. As this is passed automatically by the cart you can leave a different IPN URL set in your account if you wish. Just make sure that IPN is enabled.

### Enable Auto Return with this URL

This is the URL you should set Paypal Auto Return to use. As this is passed automatically by the cart you can leave a different URL set in your account if you wish. Just make sure that Auto Return and PDT are enabled.

### Use Stripe

Check this box to accept Stripe. You should follow chapter 4 (Setup your Stripe account) to configure you Stripe account to work with Vibracart Pro.

### Stripe Publishable Key

Enter your Stripe publishable key in this field.

### Stripe Secret Key

Enter your Stripe secret key in this field. Never share the secret key.

### Webhook signing secret

This is an optional setting. If set then Vibracart Pro will verify any web hook calls. They are secure anyway but this setting increases the the security. The webhook signing secret can be found in your Stripe account - [Developers - Webhooks](#). Double click the webhook used by Vibracart Pro and then click the [Click to reveal](#) button in the Signing secret section.



### Billing address (Stripe only)

You can set here if you always wish to request a billing address or only when Stripe require it.

### Shipping address

You can set here whether to always request a shipping address or only when there are products in the cart requiring shipping (not those marked as ignore for shipping).

## Phone number

Paypal and Stripe handle buyer phone numbers differently. For Paypal you can set whether to request or require a phone number for all orders in your Paypal account in the Website payment preferences section.

Stripe can be set to require a phone number but it is not optional if enabled. You can have Stripe never require a phone number, require one for shipped orders or require one for all orders.

## Currencies

In this section you can choose which currency(s) you will work with. If you select more than one then you will need to set each price when setting up products, discounts and shipping etc. You can also change the symbol used by the currency.

Currencies

Select the currencies you wish to sell in. You can also set the currency symbol.

<input type="checkbox"/> GBP	£
<input checked="" type="checkbox"/> USD	\$
<input type="checkbox"/> EUR	€

## File storage defaults

As well as working with locally stored files on your server Vibracart Pro can also work with files stored on Amazon S3, Digital Ocean spaces, Google Cloud Storage, B2 Clid Storage and Dropbox. We recommend using one of these services if your file are large (video's files for example).

In this section we set the location of the default `vcproducts_XXXXX` folder and also any default keys and buckets you wish to set for file storage services. This saves you having to enter them for each download product and also allows you to easily move files to a new location.

### Path to vcproducts folder

This is the full file path to the `vcproducts_XXXXX` folder created during installation. This folder contains a `.htacccees` file to stop direct access in addition to having an obscure name. You can set this path to a different folder if you wish.

### Default expiry time (0 for no expiry)

Set the default download link expiry (in minutes) to be used. You can override this for specific products if you wish. Set to 0 for no expiry.

### Default download limit (0 for no limit)

Sets the default download limit. You can override this for specific products if you wish. Set to 0 for no limit.

### Use Amazon S3

You can set default S3 settings here if you wish. This will save you having to enter the values for each product (although you can if you wish). When using default settings you would normally only have to enter the filename for each product.

### Use Digital Ocean Spaces

You can set default Digital Ocean settings here if you wish. This will save you having to enter the values for each product (although you can if you wish). When using default settings you would normally only have to enter the filename for each product.

### Setting up a Digital Ocean Space

Once you have an account login and create a Space. Enter a unique name for the space and select a datacenter region that is suitable. To keep your files secure make sure you check the **Restrict File Listing** checkbox.

#### Create a Space

Choose a unique name for your Space ?

Your Space's URL: <https://vibralogix.ams3.digitaloceanspaces.com>

Choose a datacenter region

 New York 3	 Amsterdam 3	 Singapore 1
--	---	---

Allow file listing?

<input checked="" type="radio"/> <b>Restrict File Listing</b> Only users who connect to this Space using access keys can list the contents.	<input type="radio"/> <b>Enable File Listing</b> Anyone can list the contents of this Space.
--	---

**Important:** This setting has no effect on whether individual files are visible. It only determines if anonymous users can list the name, size, and other metadata for the files in this Space.

## Chapter 16 Configuration

---

Make a note of the region code from the Your Spaces URL. In the example above this is **ams3**. Click **Create a Space** and you will be taken to the file browser.

Now you need to create the access keys used to access the files securely. To do this click the API link in the main menu and then the Generate New Key button. Copy and paste the Access Key and Secret.

### Spaces access keys

Generate New Key

Keys you have generated to connect with third party clients or to access the [Spaces API](#).

Name	Key	Created
sitelok	JRS7[REDACTED]DQ	Just now <a href="#">More</a> ↓
Secret	CYN[REDACTED]RIZIVA	

## Use Google Cloud Storage

You can set default Google Cloud Storage settings here if you wish. This will save you having to enter the values for each product (although you can if you wish). When using default settings you would normally only have to enter the filename for each product.

## Setting up Google Cloud Storage

Vibracart Pro requires Interoperability to be enabled for the project containing the buckets you need to access. To do this click **Settings** and the **Interoperability** tab. Click **Enable Interoperability**. Click **Create a New Key** to generate the Access Key and Secret needed.

The screenshot shows the Google Cloud Platform console interface. At the top, there is a blue header with the text "Google Cloud Platform" and a dropdown menu showing "teststorage". Below the header is a navigation sidebar with options: Storage, Browser, Transfer, Transfer Appliance, and Settings (which is highlighted). The main content area is titled "Settings" and has a sub-tab for "Interoperability". The page contains the following text:

**Project Access** [Interoperability](#)

The Interoperability API lets you use HMAC authentication and lets Cloud Storage interoperate with tools written for other cloud storage systems. Turn on this API only if you require interoperable access for the current user. This API is enabled per project member, not per project. Each member can set a default project and maintain their own access keys.

**Request endpoint**

In the tools or libraries you use with other cloud storage systems like Amazon S3, change the request endpoint to use the Cloud Storage URI: <https://storage.googleapis.com>. [Learn more](#)

**Default project for interoperable access**

The default project is used with the Interoperability API for all create bucket and list bucket requests.

teststorage-237510 is your default project for interoperable access

**Interoperable storage access keys**

Use an access key to authenticate yourself when making requests to Cloud Storage. The key is linked to your Google user account. [Learn more](#)

Access key	Secret
GOC	DPMS L1RL eg/nq

[Create a new key](#)

### Use B2 Cloud Storage

You can set default Backblaze B2 settings here if you wish. This will save you having to enter the values for each product (although you can if you wish). When using default settings you would normally only have to enter the filename for each product.

### Use Dropbox

Enter your Dropbox API Access Token to enable Dropbox use.

### Setting up your Dropbox account

To allow Vibracart Pro to securely access your Dropbox account we will setup a simple Dropbox app on your account.

- 1) Go to <https://www.dropbox.com/developers> and click the App console button in the top right. Login with your normal Dropbox login details.
- 2) Click the **Create App** button.

Create a new app on the DBX Platform

1. Choose an API

Scoped access **New**

Select the level of access your app needs to Dropbox data. [Learn more](#)

2. Choose the type of access you need

[Learn more about access types](#)

App folder – Access to a single folder created specifically for your app.

Full Dropbox – Access to all files and folders in a user's Dropbox.

3. Name your app

My Dropbox App

## Chapter 16 Configuration

---

- 3) Select **Scoped access** as the API type and **Full Dropbox** as the access type. Enter a name for your app.
- 4) Click the **Create App** button.

Development teams	0 / 1	<a href="#">Enable add</a>
Development users	Only you	
Permission type	<a href="#">Scoped App</a> ⓘ	
App key	63cbhghfk4e192d	
App secret	<a href="#">Show</a>	
OAuth 2	<b>Redirect URIs</b>	
	<a href="https://www.yoursite.com/vibracartpro/dropboxredirect.php">https://www.yoursite.com/vibracartpro/dropboxredirect.php</a>	
	<input type="text" value="https:// (http allowed for localhost)"/>	<a href="#">Add</a>
	<b>Allow public clients (Implicit Grant &amp; PKCE)</b> ⓘ	
	<input type="text" value="Allow"/>	

- 5) Copy the **App key** for use later.
- 6) Copy the **App secret** for use later.
- 7) Add a redirect URI pointing to (enter URL and click **Add**)

<https://www.yoursite.com/vibracartpro/dropboxredirect.php>

- 8) Click the **Permissions** tab and check the **file.content.read** checkbox.
- 9) Click **Submit** to finish the app setup.

Settings	Permissions	Branding	Analytics
----------	-------------	----------	-----------

---

Individual Scopes

Individual scopes include the ability to view and manage a user's files:

---

**Account Info**  
Permissions that allow your app to view and manage Dropbox account info

<input type="checkbox"/>	account_info.write	View and edit basic
<input checked="" type="checkbox"/>	account_info.read	View basic information about user's account, including country

**Files and folders**  
Permissions that allow your app to view and manage files and folders

<input type="checkbox"/>	files.metadata.write	View and edit information about files and folders
<input checked="" type="checkbox"/>	files.metadata.read	View information about files and folders

---

<input type="checkbox"/>	files.content.write	Edit content of files and folders
<input checked="" type="checkbox"/>	files.content.read	View content of files and folders

**Collaboration**

Now that the app is setup you need to enter the App key and App secret in Vibracart Pro. When you save the settings you will see a Dropbox login button appear. Login and confirm the access.

Use Dropbox

**Access key**

**Secret**

[Login to Dropbox](#)

You must login to connect to Dropbox

It is possible that the Dropbox link can be captured by the user and although the link is secure and cannot be modified to access other files etc it does remain active (and therefore shareable) for 4 hours. This means that

access to the file using a captured Dropbox link could be possible for up to 4 hours after the Vibracart Pro link expires. This is not an issue in most cases as the original Vibracart Pro link is probably set to work for longer anyway. If this is an issue for you then we recommend using Amazon S3 or other services instead as they allow us to set a shorter 5 minute validity on the link.

## Cart limits

In this section you can set quantity and total cost limits for the cart. The messages displayed to the buyer are defined in the cart style used.

### Cart quantity limits

Set the minimum and maximum number of items you allow in the cart. Leave them set to 0 for no limits. This is the total items not line entries.

Tip: If you wish to limit by number of line entries instead of items you can use a negative number for the limits

### Default item quantity limits

Set the default minimum and maximum quantities to use for products. You can override these settings for each product. Leave them set to 0 for no limits.

### Cart total limits

You can set the minimum and maximum cart totals allowed for each currency. You only need to set the currencies you wish to limit. Leave 0 for no limit.

## Page & Email templates

In this section you can replace the default templates with your own that match your site. Use a full URL to the page or email template on your site. You can leave any blank to use the default template.

### Successful order email template

This is the email that is sent to the buyer after they have completed the payment. If they have ordered digital products then the details will be included in the email.

#### Successful order email template

[Show example HTML snippet to paste in page](#)

```
Thank you for your order, !!name!!!. Your transaction was processed via !!processor!!!  
with the transaction ID !!orderno!!!.<br><br>  
!!eachproductstart!!!  
!!product!!!  
<br>
```

Copy to clipboard

Upload the HTML content for the email to your server and enter the URL. Click the [Show example snippet to paste in page](#) link to get the HTML you should insert in the email to insert the order details.

### Send copy of client email

If you wish to receive a copy of the buyer email then check this box. You can set the email address to send it to and the subject of the email which can include variables such as `!!!order_number!!!`, `!!!invoice_number!!!` and `!!!payer_email!!!`.

### Successful order page

This is the page that the buyer sees after they have completed the payment. If they have ordered digital products then the details will be shown in the page.

#### Successful order page

[Show example HTML snippet to paste in page](#)

```
Thank you for your order, !!!name!!!. Your transaction was processed via !!!processor!!!
with the transaction ID !!!orderno!!!.<br><br>
!!!eachproductstart!!!
!!!product!!!
<br>
```

[Copy to clipboard](#)

Create the page on your site and enter the URL. Click the [Show example snippet to paste in page](#) link to get the HTML you should insert in the page to insert the order details.

### Error / Message page

This is the page that is used to display message to the user (such as download link expired etc). Create the page and enter the URL. In the page enter `!!!message!!!` where you want the actual message to be inserted.

### Payment pending email template (Paypal only)

If you have set Paypal echecks or payment reviews to have delayed delivery then this is the email template that is sent. Enter the URL to the HTML format email to use.

### Payment pending page (Paypal only)

If you have set Paypal echecks or payment reviews to have delayed delivery then this is the page that the buyer will see. Enter the URL of the page to use.

### Manual send email template

This is a list of email templates that you can select from when using the Send download form. Upload the HTML content for the email to your server and enter the URL(s). Click the [Show example snippet to paste in page](#) link to get the HTML you should insert in the email to insert the order details. You should not include a link to a receipt for manually sent downloads.

### **Use download background page for emailed links**

When a download link is clicked in an email, normally the browser is opened to handle this and a blank page is displayed. If you wish you can have a page displayed during download instead. Check the box to enable this option. Create the page and enter the URL. Click the [Show example snippet to paste in page](#) link to get the HTML you should insert in the page.

## **Receipt**

In this section you can setup the information that is displayed in the receipt / invoice. The template used is receipttemplate.html but we don't recommend modifying this file too much as it needs to be compatible with conversion to PDF. Most of the settings can be entered in this section anyway.

### **Title**

This is the title shown at the top of the receipt.

### **Logo URL**

You can have a small logo displayed in the top right of the invoice. Enter the URL to the image to use.

### **Your address details**

Enter your company address (website, phone etc).

### **Date format**

The date format of the receipt.

### **Next receipt / invoice number**

Each receipt / invoice will have a unique incrementing number. Enter the next number to use here. You can enter an optional prefix and suffix for this number if you wish which can include **!!!orderdate!!!** to insert the date as YYYYMMDD.

### **Receipt / invoice number label**

This is the label for the invoice number displayed.

### **Custom field name and value X**

You can have upto 5 additional items shown on the receipt. These could include your VAT number etc. Enter the label and data in the fields.

To display your buyers VAT number (if you have enabled that option) then use `!!!customer_tax_id!!!` in the data field. To display the buyers IP address and country code enter `!!!ipaddr!!!` `!!!ipcountrycode!!!` in the data field.

### Footer text

This line of text is displayed at the bottom of the receipt. It could show your company registration number and registered address for example.

### Send copy of PDF receipt as attachment to this email

If you would like a copy of each order receipt to be emailed to you as an attachment enter an email address here. This can be useful in countries where you need to keep an auditable copy of the receipt/invoice. Leave blank if you don't need it.

## Categories / tags

In this section you can setup product categories and tags. Each product can optionally be assigned one or more categories or tags. These can be used to group products in the store front page and be used to assign discounts. Currently categories and tags are treated pretty much the same so you can use them as you wish. For example you could use categories to group products and tags for internal use.

### Categories

<input type="text" value="Chairs"/>	#1 (2)	✕
<input type="text" value="Sofas"/>	#6 (0)	✕
<input type="text"/>	#new (0)	✕
<input type="button" value="Add"/>		

### Tags

<input type="text"/>	#new (0)	✕
<input type="button" value="Add"/>		

You can add, rename and delete them as needed. Note that if you delete a category or tag they will be removed from any associate product or discount as well.

The number shown after the entry such as #6 is the category id (not often needed). The number in brackets shows the number of products in that category or having the tag.

## Sitelok

If you use Sitelok on your site then you can enable integration in this section by checking the box.

### Sitelok folder URL

Set this to the full URL to the Sitelok folder on your site. You can get this from Sitelok by going to [Tools - Configuration - Install paths - URL to Sitelok folder](#)

### Sitelok folder file path

Set this to the full file path to the Sitelok folder on your site. You can get this from Sitelok by going to [Tools - Configuration - Install paths - Full file path to Sitelok folder](#)

### Email templates

In these settings you can enter email template file names (from Sitelok) to be sent to the buyer by Sitelok. In most cases they can be left blank as Sitelok login details can be included in the Vibracart email.

### Usergroup to add users to

Enter the usergroup to add users too for all orders and the expiry days (0 for no expiry). You can also set product specific usergroups instead / as well.

### Show existing passwords as

When Sitelok has hashed passwords enabled (recommended) then the text entered here will be shown for exiting passwords. For example \*\*\*\*\*. The actual password will only be shown if an account is created.

## PDF Watermarking

If your download products need to deliver a PDF then you can have a water mark inserted to provide a level of protection against sharing. Please note though that this watermarking can remove links and bookmarks from the PDF file. It's best to test it with your files to make sure it works as required. Only PDF files that have the Watermark PDF check box checked in the product setup will be watermarked.

Most of the settings are self explanatory but a couple need some further explanation.

### Maximum file size

This is the maximum size PDF that will be watermarked. Normally 5000000 bytes is fine.

### Watermark text

This is the text that will be added. You can use the following variables.

!!!name!!!  
!!!email!!!  
!!!first\_name!!!  
!!!last\_name!!!  
!!!order\_number!!!  
!!!dateddmmyy!!!  
!!!datemmdyy!!!  
!!!time!!!  
!!!ipaddr!!!  
!!!serialnumber!!!  
!!!userfunction!!!  
!!!callurldata!!!

### Pages

Sets the pages the watermark will appear on.

You can set this to All, Odd, Even or specify the pages. If you choose to specify pages you should set them as follows. Note using the prefix ^ will number pages from the end (as you don't always know how many pages there are). ^1 means the last page. ^2 the second to last page etc.

odd	all odd pages
even	all even pages
all	all pages

7	page 7
3-	pages 3 until the end
-8	pages 1 to 8
3-7	pages 3 to 7
^1	the last page
^2-	from the second to last page to the start
-^3	from the start until the third from last page
^7-^2	seven pages from the end until the second to last page

You can define multiple pages or page ranges by separating them by commas. For example

8,12,odd,^4-^1

would watermark all odd pages plus page 8, page 12 and the last 4 pages.

## Email

Here you can set how emails are sent.

### PHP mail() function

This is the default method supported by most servers.

### PHPmailer

This method allows you to enter the SMTP details for the email address set in **General - Site email**. The details are the same as you would use in an email client. This method may help if you have delivery issues (mails getting spam filtered) when using the default method.

If you use a Gmail address please note that you will need to enable 'less secure access' in your Gmail account to be able to access it via SMTP.

### Sendgrid

Sendgrid (<https://www.sendgrid.com>) provide a reliable service for sending emails. It's ideal for transactional emails such as those sent by Vibracart Pro.

To use Sendgrid you need to get your Sendgrid API Key and enter that in Vibracart Pro.

- 1) Login to Sendgrid and click **Settings**
- 2) Click **API Keys** in the menu.

- 3) Click the Create API Key button and give it a name (anything is ok such as Mail Send).
- 4) Select Full Access as the API permission.

## Affiliate

In this section you can setup affiliate system integration.

### Use iDev Affiliate

Enter the full URL to the sale.php file on your server. Ensure that [!!!idevaffiliate!!!](#) is included in the success / thankyou page (it is in the default snippet).

### Use Shareasale

Enter your Shareasale merchant id. Ensure that [!!!shareasale!!!](#) is included in the success / thankyou page (it is in the default snippet).

### Use other affiliate system

Most affiliate systems work using a hidden image on the success / thankyou page. The URL provided will usually require the total amount paid and the order id. For example

```

```

You can use [!!!total!!!](#) and [!!!order\\_number!!!](#) to insure the live values. So for example

```

```

Ensure that

[!!!affiliate!!!](#)

is included in the success / thankyou page (it is in the default snippet).

## Other settings

### Link Key

This is a random key used to keep download links secure. Normally you should leave this as set during installation.

### Backup folder path

This is the file path to the backup folder created during installation. You can change it if required but make sure the folder has write access and is not visible to internet visitors.

### **Order flag label**

You can optionally have a flag checkbox on each order which can be used for any purpose. For example you could use it to flag orders that have been shipped. To enable this feature set a label for the flag here. Once enabled you will see the checkbox when viewing orders and can also filter orders based on this too.

### **Order table column order**

Here you can set the which fields are displayed in the main order table and the order.

### **Server time error adjustment**

This is the number of seconds that your server time is allowed to differ to external servers such as Amazon S3. In most cases leave this set to 300.

### **Use Kunaki**

Enable to use Kunaki (<https://www.kunaki.com>). Enter the username and password to your account. The shipping method is set to 0 for the cheapest method and 1 for the most expensive. The testing method can be set to Live or Test. You need to set the Kunaki ID in the product definition for any product using Kunaki.

### **Use Trepstar**

Enable to use Trepstar (<https://www.trepstar.com>). Enter the username and password to your account and select the shipping method. The testing method can be set to Live or Test. You need to set the Trepstar ID in the product definition for any product using Trepstar.

### **Use Mailchimp**

Enable to have buyers added to Mailchimp. Enter your Mailchimp API key and Audience ID (List id). You can also set product specific Audience Id's / List Id's.

### **Allow Page Safe login access to dashboard**

If you use the Page Safe stack for Rapidweaver you can enable this option to auto login to the Vibracart Pro dashboard when your are logged into Page Safe. You need to enter the Page Safe ID.

### Call webhook on each order (Zapier, Integrately etc)

As an order is processed Vibracart Pro can send the full order details via a webhook to services such as Zapier. This enables you to store order details in spreadsheets or add buyers to other services. To enable this feature you will need to create the appropriate zap/webhook in the service and enter the provided URL in this setting.

Call webhook on each order (Zapier, Integrately etc)

URL to call

Test

When setting up the zap you can use the test button to send texts data so that you can assign fields as needed. Here is an example of the JSON data sent to the webhook.

```
{
  "webhooktype": "order",
  "cartstyleid": "popup"
  "payment_time": "2022/11/28 14:56",
  "processor": "paypal",
  "ordernumber": "testorder",
  "invoicenumber": "testinvoice",
  "fullname": "John Smith",
  "firstname": "John",
  "lastname": "Smith",
  "email": "adrian@vibralogix.com",
  "addressname": "John Smith",
  "street": "Oak Cottage",
  "street2": "123 Park Street",
  "city": "Little Brooks",
  "state": "Devon",
  "zip": "AB1 2CF",
  "country": "United Kingdom",
  "countrycode": "GB",
  "phone": "",
  "billing_street": "Oak Cottage",
  "billing_street2": "123 Park Street",
  "billing_city": "Little Brooks",
  "billing_state": "Devon",
  "billing_zip": "AB1 2CF",
  "billing_country": "United Kingdom",
  "billing_countrycode": "GB",
  "billing_billing_phone": "",
  "ip": "1.2.3.4",
  "geoipcountry": "GB",
  "totalnet": 24.26,
  "cartdiscount": 0,
```

## Chapter 16 Configuration

---

```
"shipping": 4.95,
"shippingtax": 0.99,
"shippingtotal": 5.94,
"totaltax": 5.84,
"total": 35.05,
"currencycode": "GBP",
"couponcode": "OFFER1",
"slusername": "username",
"sluserid": 123,
"transactionfee": 2.34,
"firstvisit": "2022/11/27 10:23",
"firstvisitreferrer": "https://www.google.com/",
"firstvisitlanding": "http://localhost/folder/page.php",
"thisvisit": "2022/11/28 14:49",
"thisvisitreferrer": "https://www.yahoo.com/",
"thisvisitlanding": "http://localhost/about.php",
"agree1": true,
"agreetext1": "I agree to your terms and conditions",
"agree2": false,
"agreetext2": "",
"agree3": false,
"agreetext3": "",
"numentries": 2,
"items": [
{
  "itemid": "id1",
  "itemdescription": "Test product 1",
  "itemquantity": 2,
  "itemprice": 7.95,
  "itemdiscount": 1.59,
  "itemdiscountdescription": "10% discount",
  "itemnettotal": 14.31,
  "itemtax": 2.86,
  "itemtotal": 17.17,
  "itemtaxrate": 20,
  "itemtaxtype": 0,
  "itemshippingunits": 0,
  "itemoptionname0": "Size",
  "itemoptionname1": "Color",
  "itemoptionname2": "",
  "itemoptionname3": "",
  "itemoptionname4": "",
  "itemoptionname5": "",
  "itemoptionname6": "",
  "itemoptionvalue0": "small",
  "itemoptionvalue1": "blue",
  "itemoptionvalue2": "",
  "itemoptionvalue3": "",
  "itemoptionvalue4": "",
  "itemoptionvalue5": "",
  "itemoptionvalue6": ""
},
{
  "itemid": "id",
  "itemdescription": "Test product 2",
  "itemquantity": 1,
  "itemprice": 9.95,
  "itemdiscount": 0,
  "itemdiscountdescription": "",
  "itemnettotal": 9.95,
```

## Chapter 16 Configuration

---

```
"itemtax": 1.99,  
"itemtotal": 11.94,  
"itemtaxrate": 20,  
"itemtaxtype": 0,  
"itemshippingunits": 0,  
"itemoptionname0": "",  
"itemoptionname1": "",  
"itemoptionname2": "",  
"itemoptionname3": "",  
"itemoptionname4": "",  
"itemoptionname5": "",  
"itemoptionname6": "",  
"itemoptionvalue0": "",  
"itemoptionvalue1": "",  
"itemoptionvalue2": "",  
"itemoptionvalue3": "",  
"itemoptionvalue4": "",  
"itemoptionvalue5": "",  
"itemoptionvalue6": ""  
}  
]  
}
```

## Chapter 17 Using Wimpy Player

Wimpy player is a fantastic skinnable, mobile-ready HTML-5 audio player & video player which works well with Vibracart Pro. It can be easily configured to allow tracks to be added to the cart when the cart icons in the player are clicked. This is a great way to sell audio tracks as they can be delivered automatically for a seamless process. For more information about Wimpy Player please visit <https://www.wimpyplayer.com>

### Add Vibracart to the page

First we should add Vibracart Pro to the page in the standard way described earlier in the manual.

### Add Wimpy player to your page

The next step is to add Wimpy player to your page. Normally this just involves adding this line to the HEAD section of your page

```
<script type="text/javascript" src="/wimpy/wimpy.js"></script>
```

and then adding the player object in your page where you want it to appear. A default install may look like this.

```
<div data-wimpyplayer data-media="/wimpy/playlist.xml"></div>
```

Check the Wimpy documentation for more details.

### Enable add to cart buttons in the player

The next step is to add an id to the player and to enable the add to cart buttons. Add the id and data-glyphLink="C" attributes like this. The id can be anything you want.

```
<div id="myPlayerID" data-glyphLink="C" data-wimpyplayer data-media="/wimpy/playlist.xml"></div>
```

You should now see that the information icon has changed to a small cart in the player.

## Link Wimpy Player to Vibracart Pro

The final change to your page is to link the player to the cart. To do this add the following lines to the HEAD section of the page **after** the call to wimpy.js.

```
<script type="text/javascript">
var vcwimpyid="myPlayerID";
var vccurrency="USD";
</script>
<script type="text/javascript" src="/vibracart/vcwimpy.js"></script>
```

Set the currency as required.

## Setting up the playlist

Normally you will use a playlist with the player to set the track information. This is added to the player like this

```
<div id="myPlayer" data-glyphLink="C" data-wimpyplayer
data-media="/wimpy/playlist.xml" data-linkEnable=1></div>
```

We will use the XML format playlist for our example but the other format like JSON will work in the same way. Below is an example with 3 trails setup in the usual way. We have simply added a tag to define the product id for the track using `<vcitemid>id1</vcitemid>`.

```
<playlist>
  <item>
    <title>Blue</title>
    <file>/wimpy/song1.mp3</file>
    <image>/wimpy/song1.jpg</image>
    <kind>mp3</kind>
    <album>Miserable Songs</album>
    <artist>Michael Gieson</artist>
    <vcitemid>id1</vcitemid>

  </item>
  <item>
    <title>Brown Eyed Girl</title>
    <file>/wimpy/song2.mp3</file>
    <image>/wimpy/song2.jpg</image>
    <kind>mp3</kind>
    <album>Raise The Dead</album>
    <artist>Plain Versus Cult</artist>
    <vcitemid>id2</vcitemid>

  </item>
  <item>
    <title>Jimbo</title>
    <file>/wimpy/song3.mp3</file>
    <image>/wimpy/song3.jpg</image>
    <kind>mp3</kind>
    <album>Raise The Dead</album>
    <artist>Plain Versus Cult</artist>
    <vcitemid>id3</vcitemid>

  </item>
</playlist>
```

## Chapter 18 Support

Hopefully if you have followed this manual carefully everything will be working fine. However sometimes things don't go quite so smoothly so if you have any questions or problems then please check the FAQ on the support page or contact us.

Support and updates for Vibracart Pro are free of charge for one year after purchase. Shortly after purchase you should receive a username and password that provides you with access to the latest downloads, FAQ and other resources.

Support area: <http://www.vibralogix.com/support/>

# Appendix A Template variables

For most sites using default code snippet displayed in [Tools - Configuration - Page & email templates](#) on your thank you page and email will be sufficient. It can automatically handle download and shipped products as well as digital products with serial numbers etc. However more advanced users can customise things further using these template variables.

## Order variables

!!!name!!!	Full name of buyer
!!!email!!!	Buyers email address
!!!address_name!!!	Shipping address (if provided)
!!!address_street!!!	
!!!address_street2!!!	
!!!address_city!!!	
!!!address_state!!!	
!!!address_zip!!!	
!!!address_country!!!	
!!!address_country_code!!!	
!!!billing_address_street!!!	Billing address (if provided)
!!!billing_address_street2!!!	
!!!billing_address_city!!!	
!!!billing_address_state!!!	
!!!billing_address_zip!!!	
!!!billing_address_country!!!	
!!!billing_address_country_code!!!	
!!!order_number!!!	Payment processor order number
!!!invoice_number!!!	Invoice/receipt number
!!!total!!!	Total amount paid
!!!currency!!!	Currency code of payment
!!!payment_date!!!	Payment date and time
!!!processor!!!	Payment processor
!!!seller_email!!!	The sellers email (from the dashboard configuration)
!!!seller_company!!!	The sellers company (from the dashboard configuration)
!!!seller_url!!!	The sellers URL (from the dashboard configuration)
!!!ipaddr!!!	IP address of buyer
!!!ipcountrycode!!!	GeoIP country details
!!!ipcountryname!!!	

<code>!!!checkout_custom1!!!</code>	Checkout custom field value (1 to 5)
<code>!!!checkout_custom1label!!!</code>	Checkout custom field label (1 to 5)
<code>!!!couponcode!!!</code>	Coupon code used (blank if not used)

## Digital product details

If an order contains digital items then the product loop will be shown in the template. The contents of the product loop is repeated for each digital item and starts with `!!!eachproductstart!!!` and ends with `!!!eachproductend!!!`. Inside the loop you can display the download link, serial number etc. If there are no digital items in the order then the loop is not shown. The easiest loop is

```
!!!eachproductstart!!!  
!!!product!!!  
<br>  
!!!eachproductend!!!
```

The `!!!product!!!` variable will automatically insert any download link, serial number etc for the product.

If you prefer to have more control over the content you can use these variables inside the loop instead of `!!!product!!!`.

<code>!!!item_number!!!</code>	The product id
<code>!!!description!!!</code>	Product description
<code>!!!filename!!!</code>	The base filename of the download
<code>!!!link!!!</code>	Download link
<code>!!!size!!!</code>	Size of the download file
<code>!!!expires!!!</code>	Time until the download link expires
<code>!!!item_option_name1!!!</code>	The items option 1 name (works for options 1 to 7)
<code>!!!item_option_value1!!!</code>	The items option 1 value (works for options 1 to 7)
<code>!!!note!!!</code>	The item note
<code>!!!serialnumber!!!</code>	Item serial number
<code>!!!callurldata!!!</code>	Item call URL value
<code>!!!userfunction!!!</code>	User function value
<code>!!!item_image!!!</code>	URL for the items image. The image must be shown in the cart for this to work.

## Conditional blocks

As each product may not have the same delivered digital content you can use conditional blocks to only insert content based on the type of digital product. All blocks end with `!!!endif!!!`

<b>!!!ifnote!!!</b>	Includes content in the block only if the product note is set
<b>!!!ifuserfunction!!!</b>	Includes content in the block only if the product has a user function value.
<b>!!!ifserialnumber!!!</b>	Includes content in the block only if the product has a serial number.
<b>!!!ifcallurldata!!!</b>	Includes content in the block only if the product has a call URL value.
<b>!!!ifitemimage!!!</b>	Includes content if product has an image. The image must be shown in the cart for this to work.

Putting all these elements together you could use the following instead of **!!!product!!!** to have more control over layout.

```
!!!description!!!<br>
!!!ifoption1!!!Options<br></br>!!!item_option_name1!!!: !!!
item_option_value1!!!<br>!!!endif!!!
!!!ifdownload!!!
Download using the link below<br>
<br>
<a href="!!!link!!!">!!!filename!!!</a> (!!!size!!!) expires in !!!
expires!!!<br>
!!!endif!!!
!!!ifnote!!!Note: !!!note!!!<br>!!!endif!!!
!!!ifuserfunction!!!User function: !!!userfunction!!!<br>!!!endif!!!
!!!ifserialnumber!!!Serial number: !!!serialnumber!!!<br>!!!endif!!!
!!!ifcallurldata!!!Call URL value: !!!callurldata!!!<br>!!!endif!!!
<br>
```

### Physical product block

If there are physical (shipped) products in the order then the contents of the block starting **!!!nondigitalstart!!!** and ending **!!!nondigitalend!!!** will be shown in the template. For example

```
!!!nondigitalstart!!!
You have ordered products for delivery. These will be shipped as
quickly as possible.<br>
<br>
!!!nondigitalend!!!
```

### Link to receipt

The URL link to the receipt can be inserted using **!!!receiptlink!!!**. If you sell free items or use the external invoicing option then some orders might not

have a receipt. To handle this you can use a conditional block. Here is an example.

```
!!!ifreceipt!!!<a href="!!!receiptlink!!!" target="receipt">Show  
Receipt</a><br>!!!endif!!!
```

### Show Sitelok login details

If you use Sitelok then you can show the login details using these variables

**!!!sitelokusername!!!** The Sitelok username  
**!!!sitelokpassword!!!** For security the password will be shown only if the account has just been created. Otherwise the password will be shown as \*\*\*\*\*

### Affiliate system calls

Most affiliate system use a hidden image or similar method to call back. You can use one or more of these variables depending on the affiliate system used.

```
!!!shareasale!!!  
!!!idevaffiliate!!!  
!!!jamaffiliate!!!  
!!!affiliate!!!
```

### A simple example template

Here is an example template that can handle digital and physical products.

```
<!DOCTYPE html>  
<html>  
<head>  
<meta content="width=device-width, initial-scale=1, maximum-scale=1,  
user-scalable=no" name="viewport">  
<title>Your Order</title>  
</head>  
<body>  
Thank you for your order, !!!name!!!. Your transaction was processed  
via !!!processor!!! with the transaction ID !!!orderno!!!.<br><br>  
!!!eachproductstart!!!  
!!!product!!!  
<br>  
!!!eachproductend!!!  
!!!nondigitalstart!!!
```

## Appendix A Template variables

---

```
You have ordered products for delivery. These will be shipped as
quickly as possible.<br>
<br>
!!!nondigitalend!!!
!!!ifsiteoklogin!!!
You can login to your account using<br>
Username: !!!siteokusername!!!<br>
Password: !!!siteokpassword!!!<br>
<br>
!!!endif!!!
!!!ifreceipt!!!<a href="!!!receiptlink!!!" target="receipt">Show
Receipt</a><br>!!!endif!!!
!!!affiliate!!!
!!!shareasale!!!
!!!idevaffiliate!!!
!!!jamaffiliate!!!
</body>
</html>
```